

Image Quality Assessment for Partial Encryption Using Modified Cyclic Bit Manipulation

Parameshachari B D, K M Sunjiv Soyjaudah, Sumithra Devi K A

Abstract: Measurement of image quality is important for many image processing applications. Image quality assessment is closely related to image similarity assessment in which quality is based on the differences (or similarity) between a degraded image and the original, unmodified image. There are two ways to measure image quality by subjective or objective assessment. Subjective evaluations are expensive and time-consuming. It is impossible to implement them into automatic real-time systems. Objective evaluations are automatic and mathematical defined algorithm. Subjective measurements can be used to validate the usefulness of objective measurements. Therefore objective methods have attracted more attentions in recent years. Well-known objective evaluation algorithms for measuring image quality include mean squared error (MSE), peak signal-to-noise ratio (PSNR), and structural similarity (SSIM). MSE & PSNR are very simple and easy to use. In this paper Image Quality Assessment for Partial Encryption Using Modified Cyclic Bit Manipulation. Proposed Partial Encryption algorithm based on the amount of encryption needed (i.e. percentage of encryption). Various objective evaluation algorithms for measuring image quality like Mean Squared Error (MSE), Peak Signal-To-Noise Ratio (PSNR) and Structural Similarity (SSIM) etc. will be studied and their results will be compared.

Index Terms: Image Quality, MSE, PSNR,

I. INTRODUCTION

Image quality assessment (IQA) evaluates how good an image is. It can be classified into two types: subjective and objective. The former is better than the latter because the quality of an image or video is eventually assessed according to the human visual perception. However, such subjective quality assessments are troublesome and expensive, thus not suitable for practical use in real applications. Therefore, the latter is desirable as the practical IQA and thus many objective IQA methods have been developed [1–28]. The objective IQA methods are considered better if they are as closer as to the subjective IQA.

The goal of the objective IQA is to evaluate the image quality that is similar to the quality as people perceive. Thus, the mean square error (MSE) and peak signal to noise ratio (PSNR) that use only the intensity difference for assessing the quality cannot effectively reflect the human perception

Manuscript published on 28 February 2013.

Retrieval Number: C0427022313/13©BEIESP

Journal Website: www.ijitee.org

*Correspondence Author(s)

Parameshachai B D, Department of Electronics and Communication Engineering, JSS Academy of Technical Education, Vacoas, Mauritius (Research Scholar, Jain University, Bangalore, Karnatka, India).

Dr. K. M. Sunjiv Soyjaudah, Professor, Department of Electrical & Electronic Engineering, University of Mauritius, Reduit, Mauritius.

Dr. Sumitra Devi K A, Director, Department of Master of Computer Applications, R V College of Engineering, Bagalore, India.

© The Authors. Published by Blue Eyes Intelligence Engineering and Sciences Publication (BEIESP). This is an open access article under the CC-BY-NC-ND license http://creativecommons.org/licenses/by-nc-nd/4.0/

properties and thus cannot assess the image quality coincidentally with the subjective quality like the mean opinion score (MOS). This reason leads to the development of the objective IQA algorithms. Conventional IQA algorithms can be classified into several approaches depending on the usage of the reference image and the kind of the information used for IQA. In this paper, we classify the convention IQA algorithms into three categories as in [1]. Three categories are structural information based [2-14], human perception/visual attention based [15-25], and information theoretical approaches [26, 27]. Motivation of structural information based IQA is that the structural information of an image changes if an image is distorted. The universal quality index (UQI) [2] was presented as a full reference (FR) IQM using the structural information of an image. The structural similarity (SSIM) [3], a modified version of the UQI, was also developed. Somdip Dey [29] presents an advanced version of image encryption technique, which is itself an upgraded version of SD-EI image encryption method. In this new method, SD-EI Ver-2, there are more bit wise manipulations compared to original SD-EI method. In [30] we analyzed Image encryption techniques and Partial image encryption techniques and present the comparative results. Partial image encryption method as given best results than fully layered image encryption. In [31] we implemented a partial image encryption technique involves two methods, the first is by pixel value manipulation and other second is by using SCAN mapping method. The development and implementation of partial image encryption based on percentage of encryption. The rest of the paper is structured as follows. In Section II, we describe the problem formulation and brief overview of MSE, PSNR, SSIM are presented. In Section III presents methodology of our proposed method. In Section IV, experimental results are shown with discussions. Finally, in Section V a conclusion is given.

II. PROBLEM FORMULATION

Measurement of visual quality is of fundamental importance to numerous image processing applications. Due to inherent physical limitations and economic reasons, the quality of images and videos could visibly degrade right from the point when they are captured to the point when they are viewed by a human observer. Identifying the image quality measures that have highest sensitivity to these distortions would help systematic design of coding, communication and imaging systems and of improving or optimizing the image quality for a desired quality of service at a minimum cost i.e. image and video quality could degrade in almost all systems of practical importance, it is crucial for designers and developers to keep the

Published By: Blue Eyes Intelligence Engineering and Sciences Publication (BEIESP) © Copyright: All rights reserved. tradeoffs between visual quality and system cost in mind, and to optimize systems for providing maximum visual quality at a minimum cost. Very often the quality of an image needs to be quantified. Optimizing the performance of digital imaging systems with respect to a wide variety of distortions during acquisition, processing, storage, transmission reproduction, any of which may result in a degradation of visual quality. So, measurement of image quality is very important to numerous image processing applications in this domain. Any imaging system can use the quality metric to adjust itself automatically for obtaining improved quality images. It can be used to compare and evaluate image processing systems and algorithms. This can be done by subjective testing sessions, or by objective – computational metrics. The only "correct" method of quantifying visual image quality is through subjective evaluation. In subjective evaluation, a number of observers are selected, tested for their visual capabilities, shown a series of test scenes and asked to score the quality of the scenes. It is the only "correct" method of quantifying visual image quality. However, subjective evaluation is usually too inconvenient, time-consuming and expensive. On the other hand objective evaluations are automatic algorithms for quality assessment that could analyse images and report their quality without human involvement. Such methods could eliminate the need for expensive subjective studies.

A. Objective

On the bases of these ideas the goal of this thesis work is to compare objective image quality matrices for image assessment and their analysis that can automatically predict image quality. Image quality assessment is closely related to image similarity assessment. So, the emphasis in this thesis will be on image fidelity, i.e., how close an image to given original or reference image. Some commonly used methods to evaluate image quality are given below:

(i) Mean Squared Error (MSE)

One obvious way of measuring this similarity is to compute an error signal by subtracting the test signal from the reference, and then computing the average energy of the error signal. The mean-squared-error (MSE) is the simplest, and the most widely used. This metric is frequently used in signal

the most widely used. This metric is frequently use processing and is defined as follows [2]:-
$$MSE = \frac{1}{MN} \sum_{i=1}^{M} \sum_{j=1}^{N} (x(i, j) - y(i, j))^{2} \dots (2.1)$$

Where x(i, j) represents the original (reference) image and y (i, j) represents the distorted (modified) image and i and j are the pixel position of the M×N image. MSE is zero when x(i, j)= y(i, j).

(ii) Peak Signal to Noise Ratio (PSNR)

The PSNR is evaluated in decibels and is inversely proportional the Mean Squared Error. It is given by the equation [2]:-

equation [2]:-
$$PSNR = 10 \log_{10} \frac{(2^n - 1)^2}{\sqrt{MSE}} \dots (2.2)$$
(iii) SSIM (Structural Similarity Index Matrix)

(iii) SSIM (Structural Similarity Index Metric)

The SSIM is the best method to evaluate image quality and the SSIM is given by equation 2.3 below [2].

SSIM =
$$\frac{(2 \times \overline{x} \times \overline{y} + C1)(2 \times \sigma_{xy} + C2)}{(\sigma_x^2 + \sigma_y^2 + C2) \times ((\overline{x})^2 + (\overline{y})^2 + C1)} \dots (2.3)$$

Retrieval Number: C0427022313/13©BEIESP Journal Website: www.ijitee.org

Where C1 and C2 are constants. $\bar{x}, \bar{y}, \sigma^2_{x}, \sigma^2_{y}$ and σ_{xy} are

$$\overline{x} = \frac{1}{N} \sum_{i=1}^{N} x_{i} \tag{2.3.1}$$

$$\overline{y} = \frac{1}{N} \sum_{i=1}^{N} y_{i} \tag{2.3.2}$$

$$\sigma_{x}^{2} = \frac{1}{N-1} \sum_{i=1}^{N} (x_{i} - \overline{x})^{2} \tag{2.3.3}$$

$$\sigma_{y}^{2} = \frac{1}{N-1} \sum_{i=1}^{N} (y_{i} - \overline{y})^{2} \tag{2.3.4}$$

$$\sigma_{xy} = \frac{1}{N-1} \sum_{i=1}^{N} (x_{i} - \overline{x})(y_{i} - \overline{y}) \tag{2.3.5}.$$

III. METHODOLOGY

The proposed Image Quality Assessment for Partial Encryption Using Modified Cyclic Bit Manipulation. Proposed Partial Encryption algorithm based on the amount of encryption needed (i.e. percentage of encryption). The basic algorithm for the Modified Cyclic Bit Manipulation method is as follows:

Step 1: Choose consecutive 8 pixels

Step 2: Convert each pixel value to their corresponding 8 bit binary value

Step 3: Form a 8X8 matrix with the 8 bit values of 8 pixels

Step 4: Perform multi-directional matrix Cyclic operation on that matrix "code" number of times

Step 5: Convert the modified 8 bit value of each pixel to their corresponding decimal value

Step 6: Put the newly generated value in place of the old value of that pixel

Step 7: Go to Step 1, and continue until and unless all the pixel values of the image are modified

Figure 1 shows the diagrammatic Representation of Modified Cyclic Bit Manipulation. Let the following be the matrix comprising of 8 bit value of 8 pixel:

Note: a, b, c, d....h represent each pixel and 1, 2, 3...8 represent the 8 bit binary value of each pixel.

	a 1	a2	a3	a4	a.5	аб	a.7	a.8
	b1	b2	ъ3	b4	Ъ5	Ъ6	ъ7	ъв
	c1	c2	c3	c4	c5	сб	c7	c8
	d1	d2	d3	d4	d5	d6	d 7	d8
	e1	e2	e3	e4	e5	eб	e7	e8
	f1	f2	f3	f4	f5	f6	f 7	f8
	g1	g2	g3	g4	g5	g6	g7	g8
	h1	h2	h3	h4	h5	h6	h7	h8
	Cyclic Operation							
				Ţ	ļ	Cyclic	Operat	tion
	a1		a3		<u> </u>		Operat	-
1	a1 b1	a2 b2	a3 b3	a4 b4	a.5	Cyclic a6 b6		a8 b8

	5-			5.	5-	5-	5.	5-
1	h1	h2	h3	h4	h5	h6	h 7	h8
•								
	,							
				- 1	1			
				₹_				
	b1	a 1	a2	a3	a4	a.5	a6	a7
	c1	Ъ3	b4	b5	b6	Ь7	c 7	a8
	d1	b2	d3	c3	c4	c5	d 7	b8
	e1	c2	e3	d5	e5	сб	e7	c8
	f1	d2	f3	d4	e4	d6	f 7	d8
	g1	e2	f4	£5	f6	eб	g7	e8
	h1	f2	g2	g3	g4	g5	g6	f8
	h2	h3	h4	h5	h6	h7	hS	98

Figure 1: Diagrammatic Representation of Modified Cyclic Bit Manipulation.





Thus, the new pixel values are:
Pixel 1: b1 a1 a2 a3 a4 a5 a6 a7,
Pixel 2: c1 b3 b4 b5 b6 b7 c7 a8,
Pixel 3: d1 b2 d3 c3 c4 c5 d7 b8,
Pixel 4: e1 c2 e3 d5 e5 c6 e7 c8
Pixel 5: f1 d2 f3 d4 e4 d6 f7 d8
Pixel 6: g1 e2 f4 f5 f6 e6 g7 e8
Pixel 7: h1 f2 g2 g3 g4 g5 g6 f8

Pixel 8: h2 h3 h4 h5 h6 h7 h8 g8

IV. RESULTS

The proposed method has been designed using MATLAB software. In partial encryption, only part of image (i.e. percentage of encryption: 25%, 50%, 75% and 100%) (Important part) is encrypted whereas the remaining part (unimportant part) is transmitted without encryption. Image quality assessment can be done either by subjective or objective assessment. Subjective evaluations are expensive and time-consuming. It is impossible to implement Subjective evaluations into automatic real-time systems. Objective evaluations which are automatic and mathematical defined algorithms are used for the experiment. Well-known objective evaluation algorithms for measuring image quality such as mean squared error (MSE), peak signal-to-noise ratio (PSNR), and structural similarity index metric (SSIM) have been used. Lena has been used as standard test image. Four different parts of image are chosen for this experiment, which are 25%, 50%, 75% and 100%. After applying percentage of encryption (25%, 50%, 75% and 100%) on standard test image, MSE, PSNR, SSIM are calculated and the results are compared. Figure 2 shows the results of the proposed method. Table 1 shows the Comparison of MSE, PSNR, SSIM for Lena Image.








Original Image

25% encryption

50% encryption





75% encryption

Retrieval Number: C0427022313/13©BEIESP

Journal Website: www.ijitee.org

100% encryption

Figure 2: Results of partial encryption on the standard Lena Image (percentage of encryption)

Table 1: Comparison of MSE, PSNR, SSIM for Lena Image

Percentage of encryption	MSE	PSNR	SSIM
25%	26.7312	33.8427	0.8917
50%	53.8247	30.8455	0.8516
75%	81.8768	29.1157	0.7913
100%	111.3127	27.7643	0.1673

V. CONCLUSION

Image quality measurement plays an important role in various image processing application. A great deal of effort has been made in recent years to develop objective image quality metrics. In this paper proposed Image Quality Assessment for Partial Encryption Using Modified Cyclic Bit Manipulation. Proposed Partial Encryption algorithm based on the amount of encryption needed (i.e. percentage of encryption). Experimental results indicate that MSE and PSNR are very simple, easy to implement and have low computational complexities. But these methods do not show good results. SSIM is widely used method for measurement of image quality. SSIM works accurately better quality as compared to MSE and PSNR.

REFERENCES

- Z. Wang, A. C. Bovik, Mean squared error: love it or leave it? A new look at signal fidelity measures, IEEE Signal Processing Magazine 26 (2009) 98–117.
- Z. Wang and A. C. Bovik, A universal image quality index, IEEE Signal Processing Letters 9 (2002) 81–84.
- Z. Wang and A. C. Bovik, Image quality assessment: From error visibility to structural similarity, IEEE Transaction on Image Processing 13 (2004) 600–612.
- G.-H. Chen, C.-L. Yang, and S.-L. Xie, Edge-based structural similarity for image quality assessment, in: Proceedings of International Conference on Acoustics, Speech, and Signal Processing, Toulouse, France, 2006, pp. 14–19.
- G.-H. Chen, C.-L. Yang, and S.-L. Xie, Gradient-based structural similarity for image quality assessment, in: Proceedings of International Conference on Image Processing, Atlanta, GA, 2006, pp. 2929–2932.
- Z. Wang, E. P. Simoncelli, and A. C. Bovik, Multiscale structural similarity for image quality assessment, in: Proceedings of IEEE Asilomar Conference on Signals, Systems, and Computers, Pacific Grove, CA, 2003, pp. 1398–1402
- F. Wei, X. Gu, and Y. Wang, Image quality assessment using edge and contrast similarity, in: Proceedings of IEEE International Joint Conference on Neural Networks, Hong Kong, China, 2008,pp. 852–855
- G. Zhai, W. Zhang, X. Yang, and Y. Xu, Image quality assessment metrics based on multi-scale edge presentation, in: Proceedings of IEEE Workshop Signal Processing System Design and Implementation, Athens, Greece, 2005, pp. 331–336.
- C.-L. Yang, W.-R. Gao, and L.-M. Po, Discrete wavelet transform-based structural similarity for image quality assessment, in: Proceedings of IEEE International Conference on Image Processing, San Diego, CA, 2008, pp. 377–380.
- A. Shnayderman, A. Gusev, and A. M. Eskicioglu, An SVD-based grayscale image quality measure for local and global assessment, IEEE Transaction on Image Processing 15 (2006) 422–429.
- H.-S. Han, D.-O Kim, and R.-H. Park, Structural information-based image quality assessment using LU factorization, IEEE Transaction on Consumer Electronics 55 (2009) 165–171.
- D.-O Kim and R.-H. Park, New image quality metric using the Harris response, IEEE Signal Processing Letters 16 (2009) 616–619.
- D.-O Kim and R.-H. Park, Joint feature-based visual quality assessment, Electronics Letters 43 (2007) 1134–1135.
- L. Cui and A. R. Allen, An image quality metric based on corner, edge and symmetry maps, in: Proceedings of British Machine Vision Conference, Leeds, UK, 2008.
- R. Ferzli and L. J. Karam, A no-reference objective image sharpness metric based on just-noticeable blur and probability summation, in: Proceedings of International Conference on Image Processing, San Antonio, TX, 2007, pp. 445–448.
- Z. Wang, H. R. Sheikh, and A. C. Bovik, No-reference perceptual quality assessment of JPEG compressed images, in: Proceedings of International Conference on Image Processing, Rochester, NY, 2002, pp. 477–480.



Image Quality Assessment for Partial Encryption Using Modified Cyclic Bit Manipulation

- N. Damera-Venkata, T. Kite, W. Geisler, B. Evans, and A. C. Bovik, Image quality assessment based on a degradation model, IEEE Transaction on Image Processing 9 (2000) 636-650
- A. B. Watson, DCTune: A technique for visual optimization of DCT quantization matrices for individual images, in: Digest of Technical Papers of Society for Information Display, Seattle, WA, 1993, pp. 946-949
- 19. ITU-R Recommendation J.144, Objective perceptual video quality measurement techniques for digital cable television in the presence of a full reference, International Telecommunication Union, 2004.
- D. M. Chandler and S. S. Hemami, VSNR: A wavelet-based visual signal-to-noise ratio for natural images, IEEE Trans. Image Processing 16 (2007) 2284-2298.
- Z. Liu and R. Laganiere, On the use of phase congruency to evaluate image similarity, in: Proceedings of International Conference on Acoustics, Speech, Signal Processing, Toulouse, France, 2006, pp.
- G. Zhai, W. Zhang, Y. Xu, and W. Lin, LGPS: Phase based image quality assessment metric, in: Proceedings of IEEE Workshop Signal Processing Systems, Shanghai, China, 2007, pp. 605-609.
- 23. P. Skurowski and A. Gruca, Image quality assessment using phase spectrum correlation, Lecture Notes in Computer Science, Computer Vision and Graphics, Eds. G. Goos et al., Springer-VerlagBerlin Heidelberg, (2008) 80-89.
- X. Feng, T. Liu, D. Yang, and Y. Wang, Saliency based objective quality assessment of decoded video affected by packet losses, in: Proceedings of International Conference on Image Processing, San Diego, CA, 2008, pp. 2560-2563.
- Z. You, A. Perkis, M. M. Hannuksela, and M. Gabbouj, Perceptual quality assessment based on visual attention analysis, in: Proceedings of ACM International Conference on Multimedia, Beijing, China, 2009, pp. 561-564
- H. R. Sheikh, A. C. Bovik, and G. de Veciana, An information fidelity criterion for image quality assessment using natural scene statistics, IEEE Transaction on Image Processing 14 (2005) 2117–2128.
- H. R. Sheikh and A. C. Bovik, Image information and visual quality, IEEE Transaction on Image Processing 15 (2006) 430-444.
- Parameshachari B D, K M Sunjiv Soyjaudah, Chaitanyakumar M V, A Study on Different Techniques for Security of an Image, Technology International Journal of Recent Engineering[™] (IJRTE), Volume-1, Issue-6,Jan 2013.
- Somdip Dey, "SD-EI: A Cryptographic Technique To Encrypt Images", Proceedings of "The International Conference on Cyber Security, Cyber Warfare and Digital Forensic (CyberSec 2012)", held at Kuala Lumpur, Malaysia, 2012, pp. 28-32
- Parameshachari B D and Dr. K M S Soyjaudah "Analysis and Comparison of Fully Layered Image Encryption Techniques and Partial Image Encryption Techniques" Proceedings of ICIP 2012, CCIS 292, pp. 599-604, 2012. © Springer-Verlag Berlin Heidelberg
- Parameshachari B D and Dr. K M S Soyjaudah "A New Approach to Partial Image Encryption" published at Proceedings of ICAdC, AISC 174, pp. 1005-1010, © Springer India 2013.

AUTHOR PROFILE



Parameshachari B D working as a Senior Lecturer the Department of Electronics and Communication Engineering at JSS Academy of Technical Education, Mauritius. He is having total of around nine and half years experience in the teaching field (including seven years from KIT, Tiptur and two and half years from JSSATE,

Mauritius). Parameshachari B D obtained his B.E in Electronics and Communication Engineering from Kalpatharu Institute of Technology, Tiptur and M. Tech in Digital communication Engineering from B M S college of Engineering, Bangalore. He is pursuing his Ph.D in Electronics and Communication Engineering at Jain University, Bangalore. Parameshachari B D area of interest and research include image processing and cryptography. He has published several Research papers in international Journals/conferences. He is a Professional Member of ISTE, IETE, IACSIT, IAEST, IAENG and AIRCC.



Professor K M Sunjiv Soyjaudah received his B. Sc (Hons) degree in Physics from Queen Mary College, University of London in 1982, his M.Sc. Degree in Digital Electronics from King's College, University of London in 1991, and his Ph. D. degree in Digital Communications

from University of Mauritius in 1998. He is presently Professor of Communications Engineering in the Department of Electrical and Electronic Engineering of the University of Mauritius. His current interest includes

source and channel coding modulation, image processing, cryptography, voice and video through IP, as well as mobile communication. Dr. K M S Soviaudah is a member of the IEEE, Director in the Multicarrier (Mauritius), Technical expert in the Energy Efficiency Management Office, Mauritius. Registered Ph.D Guide in University of Mauritius, Reduit, Mauritius and Jain University, Bangalore, Karnatka, India.



Dr. Sumithra Devi K A, Professor and Director, in Master of Computer Applications at R V College of Engineering, Bangalore, India. She received B.E. from Malnad College of Engineering, Hassan. She received M.E and Ph.D from UVCE, Bangalore and Avinashilingam University for Women, Coimbatore,

INDIA respectively. Reviewer for many International Journals / Conferences like WEPAN, WICT, EDAS, IACSIT, ISCAS, JEMS, Published 14 journals and 65 International/ National Conferences. Professional Member in many IEEE, IETE, CSI, ISTE. Member in BoS and BoE, for Visvesvaraiah Technological University, Belgaum, Karnataka. Registered PhD Guide in Visvesvaraiah Technological University, Belgaum; Jain University, Bangalore; Prist University, Sathyabhama University, Tamilnadu. Authored a chapter "CAD algorithm for VLSI design" in the book "VLSI Design ", published by In-Tech Publications, ISBN 979-953-307-512-8, 2011, and authored book on Operating System, published by Shroff Publisher India.



Retrieval Number: C0427022313/13©BEIESP