

# Modified Back Propagation Algorithm of Feed Forward Networks

Shital Solanki, H.B.Jethva

**Abstract**—The Back-propagation Neural Network (BPNN) Algorithm is widely used in solving many practical problems. The BPNN learns by calculating the errors of the output layer to find the errors in the hidden layers. Due to this ability of Back-Propagating, it is highly suitable for problems in which no relationship is found between the output and inputs. Due to its flexibility and learning capabilities, it has been successfully implemented in wide range of applications [7].

**of the BP learning algorithm have been reported to overcome these shortcomings. In this paper, a modified backpropagation algorithm (MBP) based on minimization of the sum of the squares of errors is proposed and implemented on benchmark XOR problem. Implementation results show that MBP outperforms standard backpropagation algorithm with respect to number of iterations and speed of convergence.**

**Keywords**— Back propagation, convergence, feed forward neural networks, training, local minima, learning rate and momentum.

## I. INTRODUCTION

Artificial Neural Networks (ANNs) are logical methods modelled on the learning processes of human brain. Artificial Neural Networks (ANNs) works by processing information like biological neurons in the brain and consists of small processing units known as Artificial Neurons, which can be trained to perform complex calculations. As human being, we learn how to write, read, understand speech, recognize and distinguish pattern – all by learning from examples. In the same way, ANNs are trained rather than programmed.

ANN have been successfully solved many complex real world problem such as predicting future trends based on the huge historical data of an organization. ANN have been successfully implemented in all engineering fields such as biological modelling, decision and control, health and medicine, engineering and manufacturing, marketing, ocean exploration and so on [1-5].

A multilayer feed-forward neural network consists of an input layer, hidden layer and an output layer of neurons. Every node in a layer is connected to every other node in the neighbouring layer. A FFNN has no memory and the output is solely determined by the current input and weights values. A feed forward neural network consists of one or more layers of usually non-linear processing units (can use linear activation functions as well). The output of each layer serves as input to the next layer. The objective of training a NN is to produce desired output when a set of input is applied to the network The training of FNN is mainly undertaken using the back-propagation (BP) based learning. Back-Propagation Neural Network (BPNN) algorithm is the most popular and the oldest supervised learning multilayer feed-forward neural network algorithm proposed by Rumelhart, Hinton and Williams [6].

**Manuscript Received on May, 2013.**

**Shital Solanki**, Department of Information Technology, L. D. College of Engineering, Gujarat Technological University, Ahmedabad, India.

**H.B.Jethva**, Associate Professor, L. D. College of Engineering, Gujarat Technological University, Ahmedabad, India.

## II. RELATED WORK

Back propagation algorithm uses Gradient descent learning rule which requires careful selection of parameters such as initial weights and biases, learning rate value, activation function should be selected carefully. An improper choice of these parameters can lead to slow network convergence, network error or failure. Seeing these problems, many variations in gradient descent BPNN algorithm have been proposed by previous researchers to improve the training efficiency.

Some of the variations are the use of learning rate and momentum to speed-up the network convergence and avoid getting stuck at local minima. These two parameters are frequently used in the control of weight adjustments [8]

Back-propagation with Fixed Momentum (BPFM) shows acceleration results when the current downhill of the error function and the last change in weights are in similar directions, when the current gradient is in an opposing direction to the previous update, BPFM will cause the weight direction to be in the upward direction instead of down the slope as desired, so in that case it is necessary that the momentum-coefficient should be adjusted adaptively instead of keeping it fixed [9], [10].

Over the past few years several adaptive-momentum modifications are proposed by researchers. One such modification is Simple Adaptive Momentum (SAM) [11], proposed to further improve the convergence capability of BPNN. Sam works by scaling the momentum-coefficient according to the similarities between the changes in the weights at the current and previous iterations. SAM is found to lower computational overheads than the Conventional BPNN.

In 2009, R. J. Mitchell adjusted momentum-coefficient in a different way than SAM [11], the momentum-coefficient was adjusted by considering all the weights in the Multi-layer Perceptrons (MLP). This technique was found much better than the previously proposed SAM [12].

In 2011, M. Z. Rehman, N. M. Nawi adaptively changing the momentum for all nodes in the neural network. The GDAM has performed well for all classification problems than the previous methods.[13]

In 2005, Anil K Ahlawat, Ankit Gupta, Aniruddha gupta, Gaurav Malik, Rahul Ramchandani proposed a

variant of back propagation algorithm, momentum and speed factor and gradient following has been added to the algorithm, the learning rate and momentum dynamically adjusted to increase the overall efficiency of the algorithm and to increase the speed of convergence of the system.[14]

In JULY 2007, V.V.Joseph ,Rajapandian, N.Gunaseeli Has used optimum initialization method for weight initialization, ensures that the outputs neurons are in the active region and the range of activation function is fully utilized. it has been implemented on 2 bit parity problem, 4 bit parity checker and encoder problem and produced good results [15]

In 2012,. S.P.Kosbatwar, S.K.Pathan used Back-Propagation algorithm for Pattern Association and produced good results in character recognition (IJCSSES) Vol.3, No.1, February 2012 [16]

### III. MODIFIED BACK PROPOGATION ALGORITHM

#### A. Overview of the Algorithm

A MBP network consists of at least three layers of units: an input layer, at least one intermediate hidden layer, and an output layer. Typically, units are connected in a feed-forward fashion with input units fully connected to units in the hidden layer and hidden units fully connected to units in the output layer.

A MBP algorithm is an improved SBP with momentum, the addition of momentum in weight change rule help to improve the speed of convergence. A momentum try to keep the weight process moving which avoids the chance of getting stuck in local minima.

The input pattern is presented to the input layer of the network. These inputs are propagated through the network until they reach the output units. This forward pass produces the actual or predicted output pattern. Because back propagation is a supervised learning algorithm, the desired outputs are given as part of the training vector. The actual network outputs are subtracted from the desired outputs and an error signal is produced. This error signal is then the basis for the back propagation step, whereby the errors are passed back through the neural network by computing the contribution of each hidden processing unit and deriving the corresponding adjustment needed to produce the correct output. The connection weights are then adjusted and the neural network has just “learned” from an experience. Once the network is trained, it will provide the desired output for any of the input patterns.

#### B. Training in Modified Back-Propagation Algorithm

The network undergoes supervised training, with a finite number of pattern pairs consisting of an input pattern and a desired or target output pattern. An input pattern is presented at the input layer. The neurons here pass the pattern activations to the next layer neurons, which are in a hidden layer. The outputs of the hidden layer neurons are obtained by using perhaps a bias, and also a threshold function with the activations determined by the weights and the inputs. These hidden layer outputs become inputs to the output neurons, which process the inputs using an optional bias and a threshold function. The final output of the network is determined by the activations from the output layer. The computed pattern and the input pattern are compared, a function of this error for each component of the pattern is determined, and adjustment to weights of connections between the hidden layer and the output layer is computed.

A similar computation, still based on the error in the output, is made for the connection weights between the input and hidden layers. The procedure is repeated with each pattern pair assigned for training the network. Each pass through all the training patterns is called a cycle or an epoch. The process is then repeated as many cycles as needed until the error is within a prescribed tolerance. The adjustment for the threshold value of a neuron in the output layer is obtained by multiplying the calculated error in the output at the output neuron and the learning rate and momentum parameter used in the adjustment calculation for weights at this layer. After a network has learned the correct classification for a set of inputs from a training set, it can be tested on a second set of inputs to see how well it classifies untrained patterns..

#### C. Mathematical Analysis of Algorithm

Assume a network with N inputs and M outputs. Let  $x_i$  be the input to  $i^{th}$  neuron in input layer,  $B_j$  be the output of the  $j^{th}$  neuron before activation,  $y_j$  be the output after activation,  $b_j$  be the bias between input and hidden layer,  $b_k$  be the bias between hidden and output layer,  $w_{ij}$  be the weight between the input and the hidden layers, and  $w_{jk}$  be the weight between the hidden and output layers. Let  $\eta$  be the learning rate,  $\delta$  the error. Also, let  $i, j$  and  $k$  be the indexes of the input, hidden and output layers respectively.

The response of each unit is computed as:

$$B_j = \sum_{i=1}^n X_i * W_{ij} \quad (I)$$

$$Y_j = (1/(1 + \exp(-B_j))) \quad (II)$$

Weights and bias between input and hidden layer updated as follows:

For input to hidden layer, for  $I = 1$  to  $n$ ,

$$W_{ij}(t + 1) = W_{ij}(t) + \eta \delta_j y_i + \alpha * (w_{ij}(t) - w_{ij}(t - 1)) \quad (III)$$

$$b_j(t + 1) = b_j(t) + \eta \delta_j + \alpha * ((b_j(t) - b_j(t - 1))) \quad (IV)$$

$\delta_j$  is the error between input and hidden ayers and calculated as follows:

$$\delta_j = y_j * (1 - y_j) * \sum_k \delta_k W_{jk} \quad (V)$$

Weights and bias between hidden and output layer updated as follows:

For input to hidden layer, for  $j = 1$  to  $n$ ,

$$W_{jk}(t + 1) = W_{jk}(t) + \eta \delta_k y_j + \alpha * (w_{jk}(t) - w_{jk}(t - 1)) \quad (VI)$$

$$b_k(t + 1) = b_k(t) + \eta \delta_k + \alpha * (b_k(t) - b_k(t - 1)) \quad (VII)$$

$\delta_k$  is the error between, hidden and output layers and calculated as follows:

$$\delta_k = y_k * (1 - y_k) * (\delta_k - y_k) \quad (VIII)$$

### IV. EXPERIMENTS AND RESULTS

In order to investigate the convergence speed of MBP learning, simulations are carried out with different types of problems. Since no analytical techniques are available to study the learning speed of Back propagation algorithm, simulation with different



problems and comparison is the usually adopted means to evaluate the effectiveness of a modification. In the present work, investigation has been done with the XOR Problem which is the most used nonlinear pattern classification problem, treated as a benchmark problem in many neural networks

**A. XOR Problem**

A 2-2-1 network (two inputs, two hidden and one output neuron) network was trained using backpropagation learning with momentum.

In each case the network was initialized with small random values. Investigation was done with different values of  $\eta$ ,  $\alpha$  and training was continued until sum-squared error reduces to 0.01.

The networks were trained with different values of  $\eta$  and  $\alpha$ . For each set of  $\eta$  and  $\alpha$ , 50 trails were made. Fifty trials with different initial weights were carried out and the average training cycle required to train the network is presented in TABLE I, II & III.

TABLE I: Simulation Results of XOR problem using MBP algorithm

$\eta$	A	w1	w2	EPOCHS
0.9	0.7	[-0.4649,-0.4572; 0.3424,0.0146; -0.4706,-0.3003]	[0.3581; 0.0782; -0.4157;]	387

TABLE II: Comparison of training epochs required to learn the XOR problem using two hidden nodes.

METHODS	STRUCTURE	$\eta$	$\alpha$	EPOCHS
SBP	2-2-1	0.9	NA	1526
MBP	2-2-1	0.9	0.7	387

At an interval of every 50 epochs the Corresponding SSE are obtained & shown in table 3

TABLE III: Comparison between SBP & MBP for XOR problem

EPOCHS	SBP	MBP
50	0.9999	0.9972
100	0.9997	0.9651
150	0.9993	0.7304
200	0.9988	0.1246
250	0.9975	0.0335
300	0.9941	0.0183
350	0.9837	0.0124
387	0.9638	0.0100




Figure 1: Comparison between SBP & MBP for XOR problem

Fig. 1 shows implementation results of MBP and SBP for XOR problem. The results show that learning speed in MBP is faster compared to SBP.

**V. CONCLUSION**

In this paper, a modified backpropagation algorithm ( MBP) is proposed and successfully implemented on benchmark XOR problem. Implementation results show that MPB outperforms standard BP which validates proposed algorithm. In proposed algorithm, weights are obtained randomly at every run within this range. Therefore, the different initialization shows the robustness of the network. The parameters used in the algorithm are carefully set to their values after a number of trial runs by trial and error basis. We conclude that the MBP algorithm improves convergence with respect to standard BP algorithm.

As a future work, the following suggestions and enhancement may be incorporated in order to improve the training rate further

- Weight Selection may be done through some efficient techniques.
- The MBP algorithm has a faster convergence rate compared to SBP Algorithm. Comparative study with other known faster methods may be done.

**VI.ACKNOWLEDGEMENT**

The authors would like to acknowledge the colleagues at Computer Department of L.D. College of Engineering for their support with the assistance in the laboratory and material.

They would also like to thank their families for their support during the research.

**REFERENCES**

- [1] Kosko, B.: Neural Network and Fuzzy Systems. 1sted., Prentice Hall of India (1994)
- [2] Krasnopolsky, V. M. and Chevallier, F. Some Neural Network application in environmental sciences. Part II: Advancing Computational Efficiency of environmental numerical models. In: Neural Networks. (eds.), vol. 16(3-4), pp. 335--348. (2003)
- [3] Coppin, B.: Artificial Intelligence Illuminated," Jones and Bartlet Illuminated Series, USA, Chapter 11, pp. 291-- 324. (2004)
- [4] Basheer, I. A., Hajmeer, M.: Artificial neural networks: fundamentals, computing, design, and application." J. of Microbiological Methods, 43(1), 03--31 (2000)
- [5] Zheng, He., Meng, Wu., Gong, B.: Neural Network and its Application on Machine fault Diagnosis," In: ICSYSE 1992, 17-19 September, pp. 576--579, (1992)



- [6] Rumelhart, D. E., Hinton, G.E., Williams, R. J.: Learning Internal Representations by error Propagation. J. Parallel Distributed Processing: Explorations in the Microstructure of Cognition. (1986)
- [7] Lee, K., Booth, D., and Alam, P. A.: Comparison of Supervised and Unsupervised Neural Networks in Predicting Bankruptcy of Korean Firms. J. Expert Systems with Applications. 29, 1- -16 (2005)
- [8] Zweiri, Y.H., Seneviratne, L.D., Althoefer, K.: Stability Analysis of a Three-term Back-propagation Algorithm. J. Neural Networks. 18, 1341- -1347 (2005)
- [9] Shao, H., and Zheng,H.: A New BP Algorithm with Adaptive Momentum for FNNs Training,” In: GCIS 2009, Xiamen, China, pp. 16--20 (2009)
- [10] Rehman, M. Z., Nawi, N.M., Ghazali, M. I.: Noise-Induced Hearing Loss (NIHL) Prediction in Humans Using a Modified Back Propagation Neural Network, In: 2nd International Conference on Science Engineering and Technology, pp. 185--189 (2011)
- [11] Swanston, D. J., Bishop, J.M., and Mitchell, R. J.: Simple adaptive momentum: New algorithm for training multilayer Perceptrons. J. Electronic Letters. 30, 1498--1500 (1994)
- [12] Mitchell, R. J., On Simple Adaptive Momentum. In: CIS 2008, London, United Kingdom, pp.01--06 (2008)
- [13] M. Z. Rehman , N. M. Nawi “ Improving the Accuracy of Gradient Descent Back Propagation Algorithm (GDAM) on Classification Problems” (IJNCAA) 1(4): 838-847ns, (2011) (ISSN: 2220-9085)
- [14] Anil K Ahlawat,Ankit Gupta,Aniruddha Gupta,Gaurav Malik,Rahul Ramchandani “A Variant Of Back Propagation Algorithm For Feed Forward Network”,2005
- [15] V.V.Joseph ,Rajapandian, N.Gunaseeli Modified Standard Backpropagation Algorithm With Optimum Initialization For Feedforward Neural Networks” JISE,GA,USA,ISSN:1934-9955,vol.1,no.3, july 2007
- [16] S.P.Kosbatwar, S.K.Pathan “Pattern Association for character recognition by Back-Propagation algorithm using Neural Network approach” (IJCSSES) Vol.3, No.1, February 2012 [16]
- [17] J. Kamruzzaman, S.M. Aziz A Note on ActivatioFunction in Multilayer Feedforward Learning Neural Networks, 2002. IJCNN '02. Volume 3 Proceedings of the 2002 International Joint Conference