

Spine Segmentation in Medical Image Processing using Unsupervised learning

B. Suresh Kumar, B. L. Shivakumar

Abstract— Image segmentation may be a method of segmenting a picture into teams of pixels supported some criterions. The aim of image segmentation is to alter or change the image illustration for the aim of straightforward understanding or faster analysis. Previously the fuzzy C-means (FCM) cluster algorithmic program was for the most part utilized in numerous medical image segmentation approaches. The normal two-component MRF model for segmentation needs coaching knowledge to estimate necessary model parameters and is therefore unsuitable for unsupervised segmentation. In order to beat the disadvantages of as sorted segmentation processes a brand new methodology of unattended segmentation is projected victimization ROR (Robust Outlyingness Ratio). The advantages of proposed method is to improve accuracy level and speed of time.

Index Terms— Adaptive Fuzzy K-Means(AFKM), Centrum, Fuzzy-C-Means (FCM), Spinal cord, unattended segmentation, Vertebral..

I. INTRODUCTION

Image segmentation is the process of partitioning a digital image into multiple segments. This image segmentation are often meted out in two ways that specifically **supervised and unattended**. Supervised agglomeration involves predefining the cluster size for segmenting whereas unattended segmentation segments by its own cluster values. Essentially in image segmentation, the assorted algorithms used square measure k-means, fuzzy c suggests that (FCM), **Robust FCM, PSO, and Color based mostly segmentation**; bar graph based mostly segmentation, Andre Mark off random field techniques. The **vertebral column** is also known as the **backbone** or **spine**. It is a bony skeletal structure found in vertebrates. It is formed from individual bones called vertebrae. In single vertebrae houses the spinal canal, a cavity that encloses and protects the **spinal cord**[1]. The individual vertebrae are composed of a **Centrum (body)**, arches protruding from the top and bottom of the Centrum, and various processes projecting from the Centrum and /or arches[2,3]. The unsupervised learning is closely associated with the matter of density estimation in statistics. In machine learning, the matter of unattended learning is that of making an attempt to search out hidden structure in unlabelled information. The unattended learning additionally encompasses several alternative techniques that request to summarize and make a case for key options of the information. Several strategies used in unattended learning area unit supported data processing strategies wont to preprocess information.

Manuscript published on 30 December 2014.

*Correspondence Author(s)

B. Suresh Kumar, Asst. Prof., Department of Computer Science, CBM College, Coimbatore, India.

Dr. B. L. Shivakumar, Director, Department of Computer Application, Sri Ramakrishna Engineering College, Coimbatore, India.

© The Authors. Published by Blue Eyes Intelligence Engineering and Sciences Publication (BEIESP). This is an open access article under the CC-BY-NC-ND license <http://creativecommons.org/licenses/by-nc-nd/4.0/>

II. RELATED WORKS

K-means classify pictures supported average of the teams shaped with the assistance of centroids. FCM segments pictures supported the membership worth and objective operate utilized in it. Each of those strategies work well for pictures with large variations in its element values however fails for pixels with slight variations. The **Fuzzy C-Means (FCM)** cluster algorithmic program was for the most part utilized in numerous medical image segmentation approaches[4]. However, the algorithmic program is sensitive to each noise and intensity non uniformity since it doesn't take under consideration abstraction discourse data. The traditional clustering algorithm it has limitations of getting number of cluster Centers by means of its users. The **Adaptive Fuzzy –K-Means (AFKM)** clustering[5] is used for image segmentation which could be applied on general images, special images. The **adaptive k-means** clustering algorithm is capable of segmenting the regions of smoothly varying intensity distributions[6].

III. METHODOLOGY

In order to beat the disadvantages of as sorted segmentation processes a brand new methodology of **unattended segmentation** is projected victimization ROR (Robust Outlyingness Ratio). The tissue layer pictures square measure to be preprocessed at first to create it good. Pre-process includes the subsequent. The following preprocessing steps are

1. Cropping the image.
2. Resizing the image.
3. Sharpening the image.

Cropping involves choosing the desired space required within the tissue layer image and cropping it.




Figure 1: Methodology diagram

Resizing the image is supported the cropped space the image is resized to suit thereto cropped space.



Sharpening the image is used to the image cropped is adjusted for its distinction and brightness to reinforce its look and to envision the layers a lot of absolutely.

IV. ALGORITHM FOR ROR SEGMENTATION

STEP1: The image component values drawn during a matrix square measure reborn to integers, since the image are gift in uint8 (Unsigned whole number eight bit) customary that isn't convenient for any process.

A= image pixels in uint8 customary.

A1=double (A)

Now A1 contain whole number values of pixels.

STEP2: The median for the reborn price square measure 1st calculated.

MED1=Median (A1)

MED1 contains median values of A1.

As an example,

A1=1,32,14,15,47,82,24,53,87,69,20;

To search out median 1st we've to type information in ascending order,

Sorted_A1=1,14,15,20,24,32,47,53,69,82,87; If the full range of components N,

N=odd, then median=middle price of sorted information.

N=even, then median=average of middle 2 values.

MED1= Median(A1)=32. Since N=11.

STEP3: This {median price| median | average | norm} obtained is once more subtracted from the whole number value of image and once more median is taken for the output.

Sub_A1=absolute price (A1-MED1);

For the higher than example, Sub_A1=31,0,18,17,15,50,8,21,55,37,12;

For the obtained new information Sub_A1 once more a median is calculated. MED2=Median (Sub_A1) For the higher than example MED2=18

STEP4: The obtained output is then divided by a worth of zero.6457 that is that the median of ordinary } normal random variables.

W= MED2 / zero.6457

For the higher than example it'll be, W=27.87

Finally a matrix of ROR values is obtained by,

ROR = (A1-MED)/W.

STEP5: The entire operation is performed for the image values in matrix type. The new output matrix obtained is named ROR price matrix and therefore the prices square measure referred to as the median absolute deviation or the ROR value.

A. Determining cluster size:

With the assistance of obtained ROR values for every element a cluster size is being determined mechanically. The cluster size id determined as follows,

STEP1: The distinctive ROR worth's by eliminating the continuation values within the ROR value matrix are sorted in ascending order.

U= distinctive values (ROR)

STEP2: Once getting the distinctive values the full range of distinctive components is set.

SZ= Size (U)

STEP3: The obtained size worth is split by a variety worth that is to be mounted ab initio. In our technique we've got

mounted it to twenty five. The resultant worth is that the cluster size.

Cluster Size = SZ / vary

Based on the obtained cluster size colors square measure to be appointed so as to mend for every cluster size. Since the cluster size varies for each image, the color assignment method takes place within the following method. pictures square measure pictured in colors starting from zero to 255. T= 255/ cluster size.

B. Unsupervised ROR Segmentation:

After decisive the colors to assign and also the cluster size consequent step is to cluster the image pixels supported it. The agglomeration method here is finished with the assistance of ROR values, cluster size and also the colors assigned . The distinctive ROR values obtained is currently split into cluster size teams with every cluster containing a group of vary ROR values. As an example if there are two hundred distinctive ROR values suggests that it'll be splitted into eight (200/25) clusters with every cluster containing twenty five completely different ROR values in its cluster. Those ROR values happiness to initial cluster are assigned the primary color and also the second being assigned with second color. This method continues for all clusters. So that particular cluster will be split into two and the two new clusters are again checked for **tolerance**. After complete checking of tolerance the segments are visualized.

C. Vertebri Extraction

To extract the **vertebri** part in three dimensional cross sectional view of human body the **ROR segmented** image is converted into binary image. This binary image contains a bunch of objects that are separated from each other[3]. The pixels that belong to an object are denoted with 1 or true while those pixels that are the background are 0 or false. For example, **binary image** that looks like this:

```

0 0 0 0 0 1 1 1 0 0
0 1 0 1 0 0 1 1 0 0
0 1 1 1 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 1
0 0 0 0 0 0 0 0 1 1
    
```

between them and therefore the initial worth of every cluster is taken into account to be the color for the cluster.

D. Meeting Tolerance:

In order to check the correctness of segmentation process, a tolerance checking is being done. The obtained clusters pixel values are determined and the minimum and maximum value of each cluster is obtained. The middle value of each cluster is also obtained. V= Mid value (cluster) The tolerance of 60 % is checked for each cluster with a condition as follows,

V1= (60 * V)/100;

V2= V1 + V;

Condition (Min Value (cluster) < V1) Or (Max value (Cluster) >V2



V. RESULTS AND DISCUSSION

A. Figures and Tables




Figure 2: System Overview Diagram





Fig.3 (a) Original Image (b) ROR Segmented Image (c) Vertebral Extraction in Binary Image (d) Output Image




Fig.4 (a) Original Image (b) ROR Segmented Image (c) Vertebra Extraction in Binary Image (d) Output Image
 The below table shows that the accuracy level is improved. The proposed method of experimental result is generated the vertebral output image.

Table 1: Shows the comparison result of different image segmentation accuracy of our method

S.no	Image	TP	TN	FP	FN	Sensitivity	Specificity	Accuracy
1	Image1	4258	254523	1621	0	100	99.36715285	99.3773
2	Image2	5063	253227	3010	0	100	98.82530626	98.84807
3	Image3	5521	254830	1314	0	100	99.48700731	99.49783
4	Image4	5147	254888	1349	0	100	99.47353427	99.4839




Figure 5: Accuracy of the images

VI. CONCLUSION

In this paper have presented spine segmentation in medical image processing using unsupervised. The proposed methods have higher segmentation accuracy in clustering of images based on the tolerance value. The proposed method is getting validate cluster extraction and finally get vertebral output. Comparing the previous method of supervised and unsupervised using ROR, the proposed method of spine segmentation output was better for improving accuracy and speed of time. In future we will enhance this process to 3D Spine extraction for accurate segmentation and fast analysis.

REFERENCES

1. Klinder T, Ostermann J, Ehm M, Franz A, Kneser R, Lorenz C. Automated model-based vertebra detection, identification, and segmentation in CT images. *MedImage Anal* 2009;13:471–82.
2. Stern D, Likar B, Pernus F, Vrtovec T. Parametric modelling and segmentation of vertebral bodies in 3D CT and MR spine images. *Phys Med Biol*2011;56(23):7505–22.
3. Ma J, Lu L. Hierarchical segmentation and identification of thoracic vertebra using learning-based edge detection and coarse-to-fine deformable model. *Comput Vis Image Underst* 2013;117(9):1072–83.
4. W. X. Kang, Q. Q. Yang, R. R. Liang, “The Comparative Research on Image Segmentation Algorithms”, *IEEE Conference on ETCS*, pp. 703-707, 2009.
5. K.K. Singh, A. Singh, “A Study of Image Segmentation Algorithms for Different Types of Images”, *International Journal of Computer Science Issues*, Vol. 7, Issue 5, 2010.
6. P.Lukac, R. Hudec, M. Benco, P. Kamencay, Z. Dubcova, M. Zachariasova, “Simple Comparison of Image Segmentation Algorithms Based on Evaluation Criterion”, *IEEE Conference on Radio elektronika*, pp. 1-4, 2011.

