

The Effect of Washing and Processing of PB-Polluted Vegetables towards their Levels of PB and Vitamin C

Hening Widowati, Widya Sartika Sulistiani, Agus Sutanto, Miftachul Huda, Arieff Salleh Rosman

This research tried to find out the effect of washing and processing of Pb-polluted kale in Metro, Lampung, Indonesia, where the farm is by the highway, use heavy-metal-contained fertilizer and pesticide. Plantedfor 20 days, various washing treatments were given (once, twice, and 3 times, 5 second each: unwashed as a control); and processing treatments (2 minutes steamed, 2 minutes boiled, 3 minutes stir-fried, and unprocessed as a control). The level of Pb and Vitamin C were examined using UV-Vis spectrophotometer and Column Chromatography in Chemical Analysis, Laboratory University of Muhammadiyah Malang. The Univariate Analysis of Variance showed a significant result (p<0.00) which indicates that both treatments decrease the Pb and Vitamin C within the kale. Post Hoc Multiple Comparisons and Duncan also showed a significant result. Regression Test showed that various treatments gave a different contribution to Pb and Vitamin C level. Together, the treatments reduce 94.7% of Pb level; meanwhile, the washing only contributes 54.7%, processing only 25.6%, and the rest 19.7% is determined by vegetables types and parts. Together, both treatments reduce 97.5% of Vitamin C level; the washing only contributes 0%, processing only 26.6%, and the rest 73.4% is determined by the type and parts of vegetables.

Keywords: About four key words or phrases in alphabetical order, separated by commas.

I. INTRODUCTION

Providing food that have good quality and give the best benefit to our health is very important since it affect the quality of the human being who eats that. Islamic doctrine tells people to pay attention to their food. The food should be halal (halal in ingredients and way to earn it) and good in quality (delicious, healthy, free from excrement, and save to consume). Based on those criteria, the food should fulfilled the nutrition needs, save and healthy, and proportional in quantity.

Vegetables are one of important food type for human body, especially in the physiological process. Vegetables provide vitamins, minerals, water, and fiber that play very important role in the physiological process. The presence of vegetables

Manuscript published on 30 September 2019.

*Correspondence Author(s)

Hening Widowati*, Universitas Muhammadiyah Metro Lampung, Indonesia

Widya Sartika Sulistiani, Universitas Muhammadiyah Metro Lampung, Indonesia

Agus Sutanto, Universitas Muhammadiyah Metro Lampung, Indonesia Miftachul Huda, Universiti Pendidikan Sultan Idris Malaysia Arieff Salleh Rosman, Universiti Teknologi Malaysia

© The Authors. Published by Blue Eyes Intelligence Engineering and Sciences Publication (BEIESP). This is an open access article under the CC-BY-NC-ND license http://creativecommons.org/licenses/by-nc-nd/4.0/

allows a good digestion process so the nutrition can be absorbs optimally.

Besides that, the vitamins within the vegetables also play an important role in human body. They keep our vitality, and as antioxidant, they protect our bodies from free radicals and carcinogenic substances. Therefore, vegetables become daily needs, unnegotiable. Vegetables are even better if they are prepared in fresh condition and hygienic.

research conducted Widowati [2];[3];[4],[5];[6], revealed that they are different level of protein, vitamin A and vitamin C within the vegetables based on where there were planted on, a polluted or clean area. That research also shows that heavy metals pollution affects the nutrition level within the vegetables. Furthermore, it is important to find out whether washing and processing the vegetables will give a significant impact to the level of Pb absorbed as well as preserve the vitamin C within the vegetables. Considering the mechanism of carcinogenic materials within an organism as explained by [7], which antioxidant will affect the mechanisms, those materials will cause severalchanges inside the organism. Moreover, [8] also explained that antioxidants would act as a substance that inhibits the oxidative harm of the targeted molecules. So many factors affect the level of protein and free radicals within the plants [9]. The loss of vitamin within the plants indicates there are an antioxidants mechanism takes place.

It is known that tolerant species are equipped by defense mechanism that related to antioxidant cell and enzyme. The mechanism protects several vital physiological process in order to avoid damages caused by reactive oxygen, which produced by heavy metal stress condition [10]. There are reports of oxidant enzyme hyperactivity and the accumulation of antioxidant cell in some plants that stressed by Cu and Pb pollution [11]. Some Cu-resistant species are found both in non-contaminated and contaminated areas [12]. Based on [13], Cu-tolerant is connected to the function of glutathione as it is an antioxidant substance that can fight the free radicals and peroxide hydrogen formed by Cu excess.

Once absorbed by the plants, Cu will affect, directly or indirectly, the growth and metabolism of the plants [14]. The effects depend on the concentration, minerals type, pH number, and plant species. The highest the concentration is, and the longer the exposure is, the effect of Pb will get more severe. In some cases, low concentration of this metal actually triggers the metabolism [15].



However, the excess of Pb can: (a) affect the seed germination; (b) cause the slow growth, chlorosis, and root destruction [14]; (c) reduce the stomatal conductance and stomata size (even it also can increase the number of stomata) [16]; [d] lower some enzyme activities [15]; (e) obstruct the photosynthesis since there are disruption in electron transfer [14]; (f) lower the respiration; and (g) interfere the minerals and water, change the hormone status as well as affect the membrane permeability and structure [14].

Ames in [7], showed that plants can protect themselves from injuries caused by oxygen oxidative process around them by producing a lot of β-carotene. This can decrease the endogen carcinogenic formation. The potency carcinogenic activities of some heavy metals especially Ni and Cd are known already (Furst, 1977; Sunderman, 1977, in

Free radicals can destruct cell membrane, change the DNA, change the chemical substance inside the body, increase the cancer risk, and deactivate the protein. In the other hand, antioxidant substances (vitamin A, vitamin C, vitamin E, zinc and selenium) can improve the cells, neutralize the free radicals, which naturally produced by biochemical reaction within the body. Vitamin C prevents oxidation in liquid-based molecules, while vitamin E dissolve in lipid works in lipid cells and cholesterol circulation.

Based on the fact that heavy metal pollution has spread everywhere and affect vegetables habitat as well as get into their tissues, this research than conducted in order to: 1) finding out the effect of washing and processing towards heavy metals content and nutrient level (vitamin C); and 2) finding out how much those treatment contribute (together and partially) in lowering the heavy metal and vitamin C content. This research will gain some information and knowledge to be applied. This information, in the end, will be a practical guide to solve the pollution effect in vegetables so they can be safely consumed. Furthermore, people can also maintain the nutrient level so the main function of vegetables, such as; healthy food, vitamin source, antioxidant, and keeping a good digestion process; can be preserved.

II. METHODS

The research conducted an experiment of Pb-polluted kale washing and processing variation.

	Factor 1. Processing								
Factor 1.									
Washing	Replication 1				Replication 2				
factor	Α	В	С	D	A	В	C	D	
	A	В	C	D	A	В	C	DW	
(W0)	W	W	W	W	W	W	W	0U	
unwashed	0	0	0	0	0	0	0	2	
	U	U	U	U	U	U	U		
	1	1	1	1	2	2	2		
	A	В	С	D	Α	В	С	DW	
(W1)	W	W	W	W	W	W	W	1U	
1 time	1	1	1	1	1	1	1	2	
washing	U	U	U	U	U	U	U		
_	1	1	1	1	2	2	2		
	A	В	С	D	A	В	С	DW	
(W2)	W	W	W	W	W	W	W	2U	
2 times	2	2	2	2	2	2	2	2	
washing	U	U	U	U	U	U	U		
	1	1	1	1	2	2	2		
	A	В	С	D	A	В	С	DW	
(W3)	W	W	W	W	W	W	W	3U	
3 times	3	3	3	3	3	3	3	2	
washing	U	U	U	U	U	U	U		
	1	1	1	1	2	2	2		

Factor 1: vegetable processing

A.Fresh, unprocessed

B. Steamed (in non-magnetic stainless steel saucepan for 5 minutes after 2 minutes the water was boiling)

C. Boiled (in non-magnetic stainless steel saucepan for 2 minutes in boiling water)

D.Stir-fried (in hot pan with a bit of cooking oil for 3

Factor 2: washing (0; 1; 2; 3 times of washing 5 second each) (W0; W1; W2; W3)

U1 Replication 1; U2 Replication 2

The treatments then followed by analysis of Pb content and vitamin C level in Chemical Analysis Laboratory, University of Muhammadiyah Malang. Statistically, hypothesis test was done quantitativelyusing Univariate Analysis of Variance, Post Hoc Multiple Comparisons and Duncan. SPSS program was used to reveal the effect of washing and processing variation, difference between treatments, and the contribution number of those treatments variation in decreasing the Pb and vitamin C content.

III. RESULTS AND DISCUSSION

Description of Washing and Processing Effect to Pb Content




Figure 1. Pb Content of Kale Shoot and Leaves in Washing and Processing Treatments Variations

Description of Various Processing of Unwashed Samples Effect to Pb Content




Figure 2. Pb Content of Kale Shoot and Leaves in Unwashed Processing Variations

Description of Washing Variation of Unprocessed Samples Effect to Pb Content








Figure 3. Pb Content of Kale Leaves in Unprocessed **Washing Variations**

Those figures (Fig. 1, 2, 3) showed that the variation of washing and processing treatments are likely decrease the Pb content.

Description of Washing and Processing Effect to Vitamin C Content




Figure 4. Vitamin C Content of Kale Shoot and Leaves in Washing and Processing Variations

Description of Various Processing of Unwashed Samples Effect to Vitamin C content




Figure 5. Vitamin C Content of Kale Shoot and Leaves in Unwashed Processing Variations

Description of Various Washed Unprocessed Samples Effect to Vitamin C Content




Figure 6. Vitamin C Content of Kale Leaves in Washed **Unprocessed Variations**

Those Figures (Fig. 4, 5, 6) showed that washing variation alone does not affect the vitamin C content, whilst processing variation alone affects it.

Data Analysis and Hypothesis Test Results The results of SPSS analysis are shown below:

Y EFFECT				CONT EI (REGI	FEC	SIGNIFICANT REGRESSIONS		
	PARTIAL		INTER ACTIO NS	INTE RACT IONS	PAR	TIAL		
1	X1	X2	X1-X2	X1-X2	X1	X2	X1	X2
Y2 (Pb content)	.000	.00 0 **	.010 *	94.3	54. 7	25.6	.000	.000
Y5 (vitamin C content)	.006 **	.00 **	.000	95	0	26.6	.931 ns	**

Table 2. Hypothesis Test Recapitulation

Annotation:

X1: Washing variation, 0=unwashed, 1= 1 time washing, 2= 2 times washing, 3= 3 times washing

X2: Processing variation, A= fresh/unprocessed, B= steamed, C=boiled, D= stir-fried

Y1: Pb Content

Y2: Vitamin C Content ns: non-significant

*: significant; **: very significant

The result of data analysis and hypothesis test showed there are significant effect of processing and washing treatments to Pb and vitamin C content. Together and partially, washing and processing affect the decreasing of Pb. Meanwhile, in terms of vitamin C, processing give a significant results but not the washing.

As it is explained by [17], in family degree, heavy metal pollution can be handled either by washing or heating in boiling degree for a short time (1-5 minutes). By doing these, heavy metal poluution can be reduced. Furthermore, [18] said that cooking in high temperature is one of many ways that commonly used to process the food. Some of cooking methods are boiling, steaming and stir-frying. Boiling is a process of cooking using boiling water (100°C), where water is used as a conductor. Steaming is a cooking method that uses water vapor, which produced by boiling water, as a medium. Finally, stir-frying is a heating process using a bit of water and cooking oil.

Moreover, boiling causes the metal binding within the plants release its binding, so bound Pb inside the plants tissue can be released [19]. A research [20], found that Pb content of vegetables can be decreased by boiling them for 3, 5 and 7 minutes. The number is decreased from 1.494 ppm into 1.302 ppm, 1.300 ppm and 1.287 ppm respectively. Even though sensory qualities (color, textures and general acceptance) are getting lower, subjectively respondents still can eat the vegetables [21]. The longer of washing and processing are the lower of Pb content within the vegetables. It is because those treatments damage the plasm membrane and organelle membrane so the accumulated heavy metals unravel from the plant tissues [22]. Boiling can also break

plant

vw.ijitee.org

down the metal bond inside the

tissues.

Published By: Blue Eyes Intelligence Engineering and Sciences Publication (BEIESP) 1737 © Copyright: All rights reserved.

It is because the high temperature can push the substance that bound the heavy metal to discharge the bond (Winarno, 2004) [19].

The data showed that there is a significance in general interaction (sig.p <0.01). This tells us that together, washing and processing can decrease the content of Pb within the vegetables. By paying attention to how vegetables are processed, the nutrition content also can be preserved. To cut of the heavy metal pollution, vegetables have to be washed several times. Washing will not reduce vitamin C content. Fresh and unprocessed vegetables contain the most of nutrient content. However, due to pollution in the vegetables, it wise to choose the best methods to process the vegetables. This research found that steaming is the best method. Respectively, from the best to the worst, cooking methods that affect the nutrition content are steaming, boiling, and stir-frying.

IV. CONCLUSION

It can be concluded that: 1) washing and processing can affect and decrease the Pb content in kale; 2) processing can reduce vitamin C content, but not washing.

Practical Application

It can be suggested that: 1) to diminish the pollution in vegetables surface, washing should be done several times; 2) nutrient content would not be diminished by washing the vegetables; 3) the best method of cooking should be chosen to maintain the nutrient content of vegetables since cooking processes can affect vitamin C content, respectively are steaming, boiling and stir-frying.

ACKNOWLEDGEMENT

Our acknowledgement for Directorate of Research and Community Services, General Directorate of Research Reinforcement and Development of Research, Technology and Higher Education Ministry as this research was funded by them through Grant Funds of Applied Products Research, Year of 2017.

REFERENCES

- Widowati, Hening. 2011. The Effect of Heavy Metal Accumulation towards Protein and Vitamin of Water Vegetables to Compose Reading Materials of Phytoremediation Effects.Dissertation. Malang: State University of Malang
- Widowati, Hening. 2012. The Influence of Cadmium Heavy Metal on Vitamins in Aquatic Vegetables. University of Indonesia.Makara Science Series. Volume 16 April 2012. No. 1.p: 33-38. ISSN
- Widowati, Hening; Kartika Sari; Widya Sartika Sulistiani. 2015. The Effect of Pollutant-Predicted Area towards Heavy Metal Uptake in the Parts of Vegetables and Fruits.Proceeding. Seminar Nasional Milad Wisuda Sarjana Universitas Muhammadiyah Metro. National Seminar in Anniversary of Graduation Ceremony University Muhammadiyah Metro. 25th November 2015. Pages: 244-254 ISBN 978-602-74135-0-4. Research Institution.
- Widowati, Hening; Kartika Sari; Widya Sartika Sulistiani. 2016. The Management of Vegetable Cultivation to Protect the Consumer from Heavy Metal Pollution. Scientific Journal of PPI-UKM.p: 152-156. Science and Enginering. Vol.3 (2016) No. 4. ISSN No. 2356-2536. Nationality University of Malaysia.
- Widowati, Hening; Kartika Sari; Widya Sartika Sulistiani. 2016. Management Model of Vegetables for Consumer Protection towards Heavy Metals Pollution.Laporan Funded by DRPM (General Directorate of Research Reinforcement and Development of Research, Technology and Higher Education. University of Muhammadiyah Metro: LPPM.

- Widowati, Hening. 2017. Alternative Solution in Counter Measuring the Heavy Metal Polluted Vegetables to be Consumed Safely..Proceeding.The 5th National Conference of APPPTM (The Association of Postgraduate Program of Muhammadiyah College).3rdVolume.Pp: 141-148. ISBN: 978-602-19568-5-4. Postgraduate Program of Yogyakarta Muhammadiyah University.
- Linder, M. C. 1992. Biochemistry; Nutrition and Metabolism. Department of Chemistry, California State University. Fullerton, CA
- Tuminah, S. 2000. Free Radicals and Antioxidants Their Relevance to Nutrition and Chronic Diseases.Research Centre of Not-contagious Diseases.Institution of Health Research and Development.Republic of Indonesia Health Department, Jakarta. Medical World Mirror (128):
- Munzuroglu, O., Obek, E., Karatas, F. & Tatar, S. Y. 2005. Effects of Simulated Acid Rain on Vitamin A, E, and C in Strawberry (Fragariavesca). Pakistan Journal of Nutrition 4(6): 402-406.
- Panda, S.K. & Choudhury, S. 2005. Chromium Stress in Plants. Braz. J. Plant. Physicl. 17: 95-102.
- Ali, M.B., Vajpayee, P., Tripathi, R.D., Rai, U.N., Singh, S.N. 2003. Phytoremediation of Lead, Nickel and Copper by Salix acmophylla Boiss.: Role of Antioxidant Substances. Bull. Environ. Contam. Toxicol. 70: 462-469.
- Liu Y-J.; Zhu Y-G.; Ding H. 2007. Lead and Cadmium in Leaves of Deciduous Trees in Beijing, China: Development of a Metal Accumulation Index (MAI). Environ. Pollut.145: 387-390.
- 13. De Vos, C.H.R., Vonk, M.J., Vooijs, H., Schat, H. 1992. Glutathione Depletion Due to Copper-Induced Phytochetatin Synthesis Causes Oxidative Stress in Silene cucubalus. Plant Physiol. 98: 853-858.
- Sharma, P. & Dubey, R.S. 2005. Lead Toxicity in Plant. Braz. J. Plant. Physiol. 17: 35-52.
- 15. Patra M.; Bhowmik N.; Bandopadhyay, B.; Sharma A. 2004. Comparison of Mercury, Lead and Arsenic with Respect to Genotoxic Effect on Plant System and the Development of Genetic Tolerance. Environ. Exp. Bot. 52: 199-223
- Xiongz, T. 1997. Lead Uptake and Effects on Seed Germination and Plant Growth in a Pb Hyperaccumulator Brassica pekinensis Rupr. Bull. Environ. Contam. Toxicol. 60: 285.
- Misgyarto; Nurjannah; Danuarso; Wahyudiono. Munarso: Suismono: Murtiningsih: Widadingrum; Hadipranoto; Sukarno; 2005.Identification of Contaminants and Quality Improvements of Vegetables. Final Report of Institution of Research and Development of Post-Harvest Agriculture.Agriculture Research and Development Institution.Department of Agriculture.
- Williams, 1979. Food Fundamentals. John Willey and Sons. New York, Toronto.
- Winarno, FG. 2004. Kimia Pangan dan Gizi. Jakarta: PT Gramedia. 19.
- Triani; Gunam; Puspawati. 2011. Identification of Cd, Pb Content in Kale that Planted in Ida Bagus Mantra Street, Bali.Research of Environmental Problems in Indonesia (2): 517-525.
- Budiari, Dewa Ayu Trisna; Lani Triani; Amna Hartiati. 2015. The Effect of Washing Frequency and Boiling Time to Heavy Metal Content and Sensory Qualities of Green Mustard (Brassica rapa I. Subsp.Perviridis Baylay). Scription.Department of Agriculture Industrial Technology, Agricultural Technology Faculty, Udayana University, Bali.
- Kustina, 2006. Study of Cadmium Content in Green Mustard Cultivation. Agrisistem Journal, BTTP (12); 37-41.
- Huda, M. (2019). Empowering application strategy in the technology adoption: insights from professional and ethical engagement. Journal of Science and Technology Policy Management, 10(1), 172-192.
- Hamid, A., Sudrajat, A., Kawangit, R. M., Don, A. G., Huda, M., Jalal, B., ... & Maseleno, A. (2018). Determining basic food quality using SAW. International Journal of Engineering & Technology, 7(4),
- Maseleno, A., Huda, M., Siregar, M., Ahmad, R., Hehsan, A., Haron, Z., Ripin, M.N., Ihwani, S.S., and Jasmi, K.A. (2017). Combining the Previous Measure of Evidence to Educational Entrance Examination. Journal of Artificial Intelligence 10(3), 85-90.
- Maseleno, A., Pardimin, Huda, M., Ramlan, Hehsan, A., Yusof, Y.M., Haron, Z., Ripin, M.N., Nor, N.H.M., and Junaidi, J. (2018a). Mathematical Theory of Evidence to Subject Expertise Diagnostic. ICIC Express Letters, 12 (4), 369 DOI: 10.24507/icicel.12.04.369





- Maseleno, A., Huda, M., Jasmi, K.A., Basiron, B., Mustari, I., Don, A.G., and Ahmad, R. (2018b). Hau-Kashyap approach for student's level of expertise. *Egyptian Informatics Journal*, doi.org/10.1016/j.eij.2018.04.001.
- Ristiani, Pardimin, Teh, K.S.M., Fauzi, A., Hananto, A.L., Huda, M., Muslihudin, M., Shankar, K., and Maseleno, A. (2018). Decision Support System Model for Selection of Best Formula Milk for Toddlers Using Fuzzy Multiple Attribute Decision Making. *Journal of Advanced Research in Dynamical and Control Systems*. Special issue 2, pp. 2075-2088.
- Fauzi, Huda, M., Teh, K.S.M., Haron, Z., Ripin, M.N., Hehsan, A., Abas, H., Hehsan, M.R., Irawan, J., and Maseleno, A. (2018). The Design of Fuzzy Expert System Implementation for Analyzing Transmissible Disease of Human. *International Journal of Pharmaceutical Research*. 10(4),68-78.
- Abadi, S., Huda, M., Teh, K.S.M., Haron, Z., Ripin, M.N., Hehsan, A., Sarip, S., Hehsan, M.R., Amrullah, M., and Maseleno, A. (2018). Hazard Level of Vehicle Smoke by Fuzzy Multiple Attribute Decision Making with Simple Additive Weighting Method. *International Journal of Pharmaceutical Research*. 10(4),58-71.
- Pardimin, Apriadi, Ninsiana, W., Dacholfany, M.I., Kamar, K., Teh, K.S.M., Huda, M., Hananto, A.L., Muslihudin, M., Shankar, K., and Maseleno, A. (2018). Developing Multimedia Application Model for Basic Mathematics Learning. *Journal of Advanced Research in Dynamical and Control Systems*. 10(14), 1347-1356.
- Hamid, A., Sudrajat, A., Kawangit, R. M., Don, A. G., Huda, M., Jalal, B., ... & Maseleno, A. (2018). Determining basic food quality using SAW. *International Journal of Engineering & Technology*, 7(4), 3548-3555.
- 33. Mulawarman, A., Sudrajat, A., Hendri, N., Kamar, K., Mulyadi, D., Budiyanto, G., Huda, M., and Maseleno. (2018). FMADM for determining superior commodity at agroindustry area. *International Journal of Engineering & Technology*, 7(4), 4667-4673.
- Anggraeni, E.Y., Pardimin, Dacholfany, M.I., Akla, Huda, M., Teh, K.S.M., Hehsan, A., Junaidi, J., Yusof, F.M., Abas, H., Husin, M.F.A., Apriani, D., and Maseleno, A. (2018). Modelling effectivenes of IS learning methodology with AHP method. *International Journal of Engineering & Technology*, 7(4), 4708-4714.
- Budiyanto, G., Ipnuwati, S., Al Gifari, S.A., Huda, M., Jalal, B., Maseleno, A., and Hananto, A.L. (2018). Web based expert system for diagnosing disease pest on banana plant. *International Journal of Engineering & Technology*, 7(4), 4715-4721.
- Abadi, S., Hawi, A., Dacholfany, I., Huda, M., Teh, K. S. M., Walidi, J., ... & Maseleno, A. (2019). Identification of Sundep, Leafhopper and Fungus of Paddy by Using Fuzzy SAW Method. *International Journal* of Pharmaceutical Research, 11(1), 695-699.
- Fauzi, Irviani, R., Muslihudin, M., Satria, F., Huda, M., Kamenez, N.V., and Maseleno, A. (2019). Revolutionizing Education through Artificial Intelligence: Fuzzy Multiple Attribute Decision Making Approach for Determining the Best Vocational High School. Applied Mechanics and Materials, Vol. 892, pp. 234-239.
- 38. Fitrian, Y., Huda, M., Muhtar, A., Arifin, A. Y., Musa, N., Teh, M., ... & Maseleno, A. (2019). Application Design for Determining Suitable Cosmetics with the Facial Skin Type Using Fuzzy Logic Approach. *Journal of Computational and Theoretical Nanoscience*, 16(5-6), 2153-2158.
- Tri Susilowati, P. Manickam, G. Devika, K. Shankar, Latifah, Muhamad Muslihudin, Wahidah Hashim, Miftachul Huda, Aleksandr Aleeksevich Korostelev, Andino Maseleno. (2019). Decision Support System for Determining Lecturer Scholarships for Doctoral Study Using CBR (Case-Based Reasoning) Method. *International Journal of Recent Technology and Engineering*.8(1), 3281-3290.
- Muslihudin, M., Ilayaraja, M., Kumar, K. S., Shankar, K., Jamilah, J., Novitasari, D., ... & Maseleno, A. Decision Support System in Kindergarten Selection using TOPSIS Method. *International Journal* of Recent Technology and Engineering, 8(1),3291-3298.
- Irviani, R., Muslihudin, M., Satria, F., Huda, M., Kamenez, N. V., & Maseleno, A. (2019). Revolutionizing Education through Artificial Intelligence: Fuzzy Multiple Attribute Decision Making Approach for Determining the Best Vocational High School. In *Applied Mechanics* and Materials (Vol. 892, pp. 234-239). Trans Tech Publications Ltd.
- Ristiani, Pardimin, Teh, K.S.M., Fauzi, A., Hananto, A.L., Huda, M., Muslihudin, M., Shankar, K., and Maseleno, A. (2018). Decision Support System Model for Selection of Best Formula Milk for Toddlers Using Fuzzy Multiple Attribute Decision Making. *Journal of Advanced Research in Dynamical and Control Systems*. Special issue 2, pp. 2075-2088.

Published By:
Blue Eyes Intelligence Engineering
and Sciences Publication (BEIESP)
1739 © Copyright: All rights reserved.

vw.ijitee.org