

An Efficient Policy User Web Page Correspondence Searching for Support Query Rewriting

Shammi Shaik, S.N.Tirumala Rao, M.Venkata Reddy

Abstract: Nowadays, Social media positions remain a favorite combination as clients studying to distribute their occurrences, activities on the network. These websites receive large quantities of user-supplied elements during the vast difference natural world results of various varieties, reach. An effective advertisement marketing approach is designed by using the products that contain the information, additionally client inclinations and conclusions on information about products. By this kind of similarity between concepts of profile, a precise matching method is developed to match the profile of the Web services and user. In this work, the approach is developed to search the concept similarity in the second phase of the process of query rewriting is performed after extraction queries. Similarity measure techniques are very much useful in processing database queries such as top-k queries, reverse top-k queries, k-nearest neighbor queries and other different types of queries related to trading sales activities.

Keywords: k-nearest neighbor queries, database queries, database operations, attribute values, personalized search, Search query, information searching in internet, search engine, Jacquard Coefficient, query rewriting.

I. INTRODUCTION

The security of publishing content on social media websites takes to the Web an ever-increasing quantity of material made during and correlated with real-world effects [1]. Different processes are introduced to protect the information which is recognized from the systems [2]. The proposed search method is based on the use of a sophisticated similarity measure, which estimates the correspondence degree between the desired profile and the provided profile [3]. Query rewriting process is the process of making other queries based on concepts used in the initial query. Thus it is necessary other concepts with the same meaning to the concept of the primary query to build other queries [4]. Here the results that coming from web services are obtained from the user [5]. Web mining plays a very important role in finding the frequent data pattern from the Internet, data set, data mart and World Wide Web has become a powerful platform to store and retrieve information as well as mine useful knowledge and use that knowledge to forecast the interest of people [6]. From the results one can observe that better quality is obtained from this system.

In the engine side mainly, located is personalized, the user profile is focused [7]. This information could manage to focus on results that have comparable client groups that rank them in high places based on their preferences one of the principal difficulties face in meeting large-scale data is

whereby to identify data from each other, which is challenging to perform in a scalable way as data size improvements [8]. In the related work let's discuss the methods that are used in this approach.

II. RELATED WORK

The proposed index structure called RNN-Tree for reverse 1-nearest neighbor search and also proposed the Tree that extends the Tree by combining the two index structures into one common index [9]. Basically, in Google search, highest frequency keyword is obtained [10]. Here the links that are attached to the websites are obtained from ranking algorithm this algorithm will increase the page rank and weight age of page rank depend on the analysis done [11]. Multiple Web services with the same kind of functionality may be available in different contexts best service among them should be selected few works took into account multiples qualitative and quantitative parameters to help users to find the best service during the discovery process [12]. Here data is recovered by using the clients inclinations. In the same way data will be recovered from the network [13]. Search operation on the web. Item-based collaborative permeate methods may return a comparable result exactly in opposite upon the programs all recommend that clients have the tendency unusual outcomes also consider them [14]. This work proposed a different structure for user-centric identity research; it exploits grade items depend on user attention to find comparable outcomes [15].

III. SYSTEM ARCHITECTURE

System Architecture of the proposed framework and here user going to search for a product with the query in search engine and that search content classify with implemented framework and result set will display to the user [15]. In the below given design an application is introduced to drive the clients information. This will produce the big data and saves the memory in the given location [16]. Here the both administrator and the client should be uniquely synthesized. New items are included by the administrator to give the rank for client [17]. Fuzzy approximation reasoning method on intelligent web recommendation system they have extracted the user profile using used web usage proposed to reverse top-k queries [18].




Fig.1 System Architecture

Revised Manuscript Received on October 05, 2019.

Shammi Shaik, Pursuing M.Tech.(CSE), Narasaraopet Engineering College, Narasaraopeta, AP – 522601, India.

Dr. S. N. Tirumala Rao, Professor, Computer science and engineering, Narasaraopeta Engineering College, Narasaraopet, AP -522601, India.

Dr. Venkata Reddy, Associate Professor, Computer Science and Engineering, Narasaraopeta Engineering College, Narasaraopet, Andhra Pradesh 522601, India.

IV. PROPOSED SYSTEM

In this system a linear weighted score function is used to find similarity between products and then products are clustered based on these computed similarity values. Linear scoring function is used to compute weighted sums of products of values of attributes performance weight values the top-k query produces a result of a ranked list of the k number of products with best scores [19]. Here top k questions are obtained from the creators side and different aculations are performed to restore the location of client [20]. A method for defeat top-k reviews is recognized well-known outcomes; anywhere control is determined since the cardinality of a cross top-k event organization.




Fig.2 Proposed System

A. Algorithm

The newly proposed product clustering algorithm uses the Jacquard coefficient similarity measure for clustering products [21].

1. Read product data set of 'n' topples into the suitable data structure.
2. Read preferences details of m number of customers for all the products
3. Compute top-k query results for all theproducts for all the m number of customer
4. Compute reverse top-k queries for all the products obtained
5. $S = \text{get Reverse Set Products Count.}$
6. $\text{Threshold} = \text{get Threshold Value}$
7. $\text{Minimum Count} = s * \text{threshold}$
8. **While**($s > \text{minimum Count}$) **do** {
9. $\text{Start Cluster} = \text{first cluster of the present list of products}$
10. **For** cluster $i = 2$ to last in the current list compute similarity measure, $\text{Sim}(\text{start Cluster}, i)$ and store
11. **Combine** all the groups whose similarity measure value $>$ than the specified threshold value into one cluster.
12. $\text{Present Count} = \text{number of groups combined in the step12.}$
13. $S = s - \text{present Count}$

This linear function uses both values of attributes and the corresponding voting/rating/performance values. A Top-k query returns a top-k number of the best products based on

the linear function score values. Reverse top-k query returns all customers who have included top-k products in their favorite lists.

V. METHODOLOGY

Here client will provide the comparison between given information. Depend on the properties, the system function is determined. By using RTOP-K fetching process the information things are controlled and gives the powerful counting items [22]. Steps being taken to search similarity of concepts are done by comparison of similarity weight gained during the search for equivalence of concepts from database with similarity weight is entered by the use [23].




Fig.3 Search Methodology

Personalized Web Page Recommendation

At first the user should create the profile on the web page and the user have to login in to the profile using their user name and password. Once login process is completed the web server is created for the user [24]. In the user has ability to search the information and send queries by using interface [25]. By using the selected profile, the user will recommend the system.




Fig.4 Process Overview

Algorithm

1. By using Google's network the user server is initialized.
2. The page should be manipulated safely.
3. Focus on the Search Field and take search keywords entered by theuser.
4. The query written by user should be searched.
5. Query should be extended for the user.
6. By using API the users query is determined.
7. At last add the entire result to the output.
8. Hence the result is displayed with maximum length.

VI. EXPERIMENTAL EVALUATION

The objective of the tests is to show the interest of the profile of the user and the service in the discovery of the best services as well as to confront the two similarity measures and to compare the obtained results the similarity degrees obtained between users. The graph results show that unable to find some of the relevant services that were directly related to the queries concepts use the common information between the user profile and service profile to match services based on quantitative and qualitative. This evaluation discusses the results obtained using personalized web page recommendation techniques compared with normal search engine search results. It is observed that the number of comparisons in each iteration of clustering is significantly reduced in the proposed method compared to the existing Euclidean distance-based clustering.




Fig.5 Similarity Queries Performance

VII. CONCLUSION AND FUTURE WORK

The new method computes weighted values in terms of values of attributes of products and their corresponding opinion values specified by customers for each product separately. Information search on the Internet through search engines using keyword, and to provide more relevant search results to the user's wishes, it would require an expansion of the query, by using the concept of query rewriting. The most powerful strength of the proposed approach is the ability to make it possible to systematically measure the similarity between different attributes of user profile and as to attributes of services profile. The data is recovered from the client inclination procedure. Here the user will be satisfied with the given recommendations for searching the information. In future this will be extended in the social network by using profiled. There is a possibility to enhance the linear function by augmenting other features such as error corrections and modifications and soon.

REFERENCES

1. A. Raja Raman and J. D. Ullman, Mining of massive datasets. Cambridge: Cambridge Univ. Press, 2012.
2. K. Georgoulas and Y. Kotidis, "Towards Enabling Outlier Detection in Large, High Dimensional Data Warehouses," in Proceedings of SSDBM, 2012, pp. 591-594.
3. H. Becker, M. Naaman, and L. Gravano, "Learning similarity metrics for event identification in social media," in Proceedings of WSDM, 2010.
4. A. Vlachou, C. Doukeridis, Y. Kotidis, and K. Nørøag, "Reverse Top-k Queries," in Proceedings of ICDE, 2010.
5. A. Guttman, "R-Trees: A Dynamic Index Structure for Spatial Searching," in Proceedings of SIGMOD, 1984, pp. 47-57.
6. T. Rajendran, P. Balasubramanie, "An Optimal Agent Based Architecture for Dynamic Web Service Discovery with QoS", Second International Conference on Computing, Communication and Networking Technologies, IEEE Explore 2010.
7. A. K. Dey, G. D. Abowd, "Towards a Better Understanding of Context and Context-Awareness". In: CHI 2000 Workshop on the What, Who, Where, When, and How of Context-Awareness, The Hague, the Netherlands, April 2000.
8. A. Belkhirat, A. Belkhir. "A new similarity measure for the profiles management". In 10th Int. Conf. on Computer Modeling and

Simulation, 2011.

9. A. Belkhirat, A. Bouras and A. Belkhir, "A New Similarity Measure for the Anomaly Intrusion Detection"; Proceedings of the 3rd International Conference on Network and System Security (NSS2009), Queensland, October 2009, pp. 431-436.
10. Qingyan Yang et al. "Personalizing Web Page Recommendation via Collaborative Filtering and Topic-Aware Markov Model", IEEE International Conference on Data Mining, 2010.
11. Bamshad Mobasher, Jaideep Srivastava and Robert Cooley "Automatic Personalization Based on Web Usage Mining" ARTICLE in COMMUNICATIONS OF THE ACM.
12. Ujwala H. Wanaskar, Sheetal R. Vij, Debajyoti Mukhopadhyay "A Hybrid Web Recommendation System based on the Improved Association Rule Mining Algorithm"
13. Kazunari Sugiyama, Kenji Hatano and Masatoshi Y. Yoshikawa "Adaptive Web Search Based on User Profile Constructed without Any Effort from Users".
14. C. Zhu and G. Wu, "Research and Analysis of Search Engine Optimization Factors Based on Reverse Engineering", MINES Sch. of Software Eng. USTC, China, (2011), pp. 225-228.
15. Umotoni Nadine, Huiying Cao, Jiangzhou Deng "Competitive Recommendation Algorithm for E-commerce", 2016 12th International Conference on Natural Computation, Fuzzy Systems and Knowledge Discovery (ICNC-FSKD)
16. Vlachou Akriki, Charitos Doukeridis, Yannis Kotidis, Kjetil Nrvag, "Reverse Top-k Queries", ICDE Conference 2010 978-1-4244-5446-4/10
17. Wang Zhibo, Jilong Liao, Qing Cao, Hairong Qi, and Zhi Wang, "Friend book: A Semantic-based Friend Recommendation System for Social Networks", IEEE Transactions on Mobile Computing.
18. Weng sung-shun, Mei-Ju Liu, "Personalized Product Recommendation in E-Commerce", Proceedings of the 2004 IEEE International Conference on e-Technology, e-commerce, and e-Service (EEE'04)
19. Z. Wu, M. Palmer, "Verb Semantics and Lexical Selection," Proceedings of the 32nd Annual Meeting of the Association for Computational Linguistics (ACL-94), Las Cruces, New Mexico, pp. 133-138, 1994.
20. C. D'amato, N. Fanizzi and F. Esposito, "A dissimilarity measure for ALC concept descriptions", SAC'06: Proceedings of the 2006 ACM symposium on Applied computing, New York, USA, ACM Press, p. 1695-1699, 2006.
21. L. A. Zadeh, "Fuzzy sets", Information and Control, vol. 8, no. 3, pp. 338-353, 1965
22. Z. Kunpeng, W. Xiaolong, and L. Yuanchao, "A New query expansion method based on query logs mining," International Journal of Asian Language Processing, vol. 19, no. 1, 2009.

AUTHORS PROFILE



Shammi Shaik, pursuing M.Tech in Computer science and engineering from Narasaraopet Engineering College, Narasaraopet, Guntur, Andhra Pradesh 522601, India. Her area of interest includes Cyber Security, software project management, System engineering, machine learning and data mining.



Dr. S. N. Tirumala Rao, Professor, Computer Science and Engineering, Narasaraopeta Engineering College, Narasaraopet, Andhra Pradesh 522601, India. His area of interest includes Machine Learning, Deep learning, Operating systems, Data Mining and Image Processing. He has published more than 30 articles in reputed journals which includes Scopus and other indexed bodies. He is a member of IEEE, MIET.



Dr. Venkata Reddy Medikonda, Associate Professor, Computer Science and Engineering, Narasaraopeta Engineering College, Narasaraopet, Andhra Pradesh 522601, India. He has been doing research in the area of data mining, Big data and Machine Learning. He received two national awards in the category of research excellence. He has published 14 papers in UGC referred and Scopus indexed journals.

