

A Novel Method Improvement of Rapid Miner for the Data Mining Applications

Rohan Nayak, S. Dinesh, S. Thirunavukkarasu

Abstract: Information mining is a well known mechanical advancement that changes over heaps of information into useful learning, which can help the information owners or clients settle on educated decisions and take sharp developments for their own favorable position. Quick Miner is an information science programming stage created by the organization of a similar name that gives a coordinated situation to information readiness, AI, profound learning, content mining, and prescient investigation. It is utilized for business and business applications just as for research, instruction, preparing, quick prototyping, and application improvement and supports all means of the AI procedure including information readiness, results perception, model approval and advancement.

Keywords: Extraction, Transformation, Open Source Tools, data preparation.

I. INTRODUCTION

measurements pre-handling, perception, prescient examination, and can be effectively coordinated with weka and R-Tool to quickly give designs from contents written in the previous. [1],[3],[5]

II. MATERIALS AND METHODS

In the first place, you need to secure business and supporter goals. Take stock of the cutting edge data mining circumstance. Thing in assets, suspicion, requirements, and other noteworthy components into your evaluation . Utilizing undertaking targets and current situation, diagram your measurements mining objectives. [19],[21],[23] A wonderful insights mining plan is exceptionally particular and should be created to achieve every business undertaking and data mining objectives. [2],[4],[6]

Revised Manuscript Received on July 22, 2019.

Rohan Nayak, Department of Information Technology, Bharath Institute of Higher Education and Research, Tambaram, India.

S. Dinesh, Department of Information Technology, Bharath Institute of Higher Education and Research, Tambaram, India.

S.Thirunavukkarasu, Department of Information Technology, Bharath Institute of Higher Education and Research, Tambaram, India.

Information aptitude: in this area, mental stability investigate realities is done to check whether its fitting for the measurements mining wants. In the first place, actualities is amassed from more than one information advantages for be had inside the organization. Those data sources may likewise incorporate more than one databases, level filer or records 3D shapes. There are inconveniences like thing coordinating and diagram mix which can stand up at some phase in records combination method. It's miles a really entangled and confused methodology as data from different assets not liable to sound effectively. Realities guidance: in this stage, records is made creation arranged. The information guidance procedure devours around ninety% of the season of the undertaking. The measurements from explicit sources should be chosen, cleaned off, changed, designed, anonymized, and constructed (whenever required). [7],[9],[11]

Information purging is a system to "smooth" the information with the guide of smoothing uproarious records and filling in lacking qualities. For instance, for a client socioeconomics profile, age data is absent. The data is deficient and must be packed. Sometimes, there could be information exceptions. [20],[22], [24]For example, age has an expense 300. Insights may be conflicting. For instance, name of the customer is particular in unmistakable tables. Measurements change tasks substitute the realities to make it valuable in records mining. Following change can be actualized, insights change: records change tasks would contribute nearer to the accomplishment of the mining method. Smoothing: it empowers to expel clamor from the measurements. Conglomeration: predicts or accumulation tasks are done to the data. I.E., the week by week deals records is totaled to figure the month-to-month and consistently by and large. [8],[10],[12]

Speculation: in this progression, low-organize measurements are changed by methods for better-arrange norms with the help of idea chains of command. For instance, the city is changed with the guide of the province. Standardization: standardization completed while the trademark insights are scaled up o downsized. [25],[27],[29]

Characteristic development: those qualities are fabricated and secured the given arrangement of properties supportive for records mining. The consequence of this technique is a last insights set that might be used in displaying. Displaying: in this fragment, scientific styles are utilized to decide records designs. In view of on the business venture goals, fitting demonstrating methodologies should be chosen for the readied dataset.



Make a situation to test check the main rate and legitimacy of the model. Run the model on the readied dataset. Impacts should be surveyed by method for all partners to verify that variant can meet records mining objectives. Appraisal: on this fragment, designs recognized are assessed contrary to the business destinations. Results created by means of the data mining model should be assessed contrary to the business undertaking destinations. [38],[40]

Picking up business know-how is an iterative framework. As a general rule, even as seeing, new advertisement venture necessities can be raised because of information mining. A move or no-cross determination is taken to move the rendition inside the arrangement stage.

Organization: in the sending section, you convey your certainties mining disclosures to typical business undertaking tasks. The expertise or actualities saw throughout insights mining way should be made smooth to perceive for non-specialized partners. A top to bottom sending plan, for transportation, protection, and observing of information mining disclosures is made. An absolute last endeavor archive is made with exercises found and key stories all through the endeavor. This empowers to improve the business' venture arrangement. Information Mining Techniques[13], [15] ,[17]


A. Challenges of Implementation of Data mine:

Talented experts need to define the records mining questions. [26],[28],[30]

Overfitting: because of little size tutoring database, a model probably won't suit future states. Information mining wishes enormous databases which at times are difficult to control. Endeavor practices may likewise need to be changed to decide to apply the insights uncovered. On the off chance that the records set are not various, data mining impacts probably won't be exact. Mix certainties needed from heterogeneous databases and worldwide realities structures may be unpredictable[14],[16], [18]

III. EXPERIMENTS AND DISCUSSION

In this section discusses results and analysis of this work.



The percentage of usage of Rapid miner is high when comparing with R-tool and Weka.




Fig 2: Performance measure of the tool

The performance of the tools are compared along with usage statistics which shows that performance of rapid miner is higher than the R-tool and the Weka




Fig 3 : Security provided by the tools

When security is concerned Weka is more secured while comparing rapid miner and the R-tool




Fig 4: Familiarities of the Tool

As R –Tool is made up of a collection of libraries designed specifically for data science it is more familiar when comparing with other tools. [31],[33],[35]

IV. CONCLUSION

Information mining instruments assume a significant job in investigating inbound and outbound traffic conduct from the system, Researchers can be utilized in the utilization of the Security Council to give the important help machine inclining calculations. In this paper, a similar report is performed[37],[39],[41] utilizing WEKA and Rapid Miner apparatuses. We have likewise shown the consequences of these instruments. Later on, we might want to grow our work to give an investigation of the deepresults of potential information mining apparatuses. Additionally, the use of these applications for cloud-based security is in advancement. [32],[34],[36]

REFERENCES

[1] Kumarave A., Rangarajan K.,Algorithm for automaton specification for exploring dynamic labyrinths,Indian Journal of Science and Technology,V-6,I-SUPPL5,PP-4554-4559,Y-2013

[2] P. Kavitha, S. Prabakaran “A Novel Hybrid Segmentation Method with Particle Swarm Optimization and Fuzzy C-Mean Based On Partitioning the Image for Detecting Lung Cancer” International Journal of Engineering and Advanced Technology (IJEAT) ISSN: 2249-8958, Volume-8 Issue-5, June 2019

[3] Kumaravel A., Meetei O.N.,An application of non-uniform cellular automata for efficient cryptography,2013 IEEE Conference on Information and Communication Technologies, ICT 2013,V-I,PP-1200-1205,Y-2013

[4] Kumarave A., Rangarajan K.,Routing alorgrithm over semi-regular tessellations,2013 IEEE Conference on Information and Communication Technologies, ICT 2013,V-I,PP-1180-1184,Y-2013

[5] P. Kavitha, S. Prabakaran “Designing a Feature Vector for Statistical Texture Analysis of Brain Tumor” International Journal of Engineering and Advanced Technology (IJEAT) ISSN: 2249-8958, Volume-8 Issue-5, June 2019

[6] Dutta P., Kumaravel A.,A novel approach to trust based identification of leaders in social networks,Indian Journal of Science and Technology,V-9,I-10,PP--,Y-2016

[7] Kumaravel A., Dutta P.,Application of Pca for context selection for collaborative filtering,Middle - East Journal of Scientific Research,V-20,I-1,PP-88-93,Y-2014

[8] Kumaravel A., Rangarajan K.,Constructing an automaton for exploring dynamic labyrinths,2012 International Conference on Radar, Communication and Computing, ICRCC 2012,V-I,PP-161-165,Y-2012

[9] P. Kavitha, S. Prabakaran “Adaptive Bilateral Filter for Multi-Resolution in Brain Tumor Recognition” International Journal of Innovative Technology and Exploring Engineering (IJITEE) ISSN: 2278-3075, Volume-8 Issue-8 June, 2019

[10] Kumaravel A.,Comparison of two multi-classification approaches for detecting network attacks,World Applied Sciences Journal,V-27,I-11,PP-1461-1465,Y-2013

[11] Tariq J., Kumaravel A.,Construction of cellular automata over hexagonal and triangular tessellations for path planning of multi-robots,2016 IEEE International Conference on Computational Intelligence and Computing Research, ICCIC 2016,V-I,PP--,Y-2017

[12] Sudha M., Kumaravel A.,Analysis and measurement of wave guides using poisson method,Indonesian Journal of Electrical Engineering and Computer Science,V-8,I-2,PP-546-548,Y-2017

[13] Ayyappan G., Nalini C., Kumaravel A.,Various approaches of knowledge transfer in academic social network,International Journal of Engineering and Technology,V-I,PP-2791-2794,Y-2017

[14] Kaliyamurthie, K.P., Sivaraman, K., Ramesh, S. Imposing patient data privacy in wireless medical sensor networks through homomorphic cryptosystems 2016, Journal of Chemical and Pharmaceutical Sciences 9 2.

[15] Kaliyamurthie, K.P., Balasubramanian, P.C. An approach to multi secure to historical malformed documents using integer ripple transfiguration 2016 Journal of Chemical and Pharmaceutical Sciences 9 2.

[16] A.Sangeetha,C.Nalini,”Semantic Ranking based on keywords extractions in the web”, International Journal of Engineering & Technology, 7 (2.6) (2018) 290-292

[17] S.V.GayathiriDevi,C.Nalini,N.Kumar,”An efficient software verification using multi-layered software verification tool “International Journal of Engineering & Technology, 7(2.21)2018 454-457

[18] C.Nalini,ShwtambariKharabe,”A Comparative Study On Different Techniques Used For Finger – Vein Authentication”, International Journal Of Pure And Applied Mathematics, Volume 116 No. 8 2017, 327-333, Issn: 1314-3395

[19] M.S. Vivekanandan and Dr. C. Rajabhushanam, “Enabling Privacy Protection and Content Assurance in Geo-Social Networks”, International Journal of Innovative Research in Management, Engineering and Technology, Vol 3, Issue 4, pp. 49-55, April 2018.

[20] Dr. C. Rajabhushanam, V. Karthik, and G. Vivek, “Elasticity in Cloud Computing”, International Journal of Innovative Research in Management, Engineering and Technology, Vol 3, Issue 4, pp. 104-111, April 2018.

[21] K. Rangaswamy and Dr. C. Rajabhushanamc, “CCN-Based Congestion Control Mechanism In Dynamic Networks”, International Journal of Innovative Research in Management, Engineering and Technology, Vol 3, Issue 4, pp. 117-119, April 2018.

[22] Kavitha, R., Nedunchelian, R., “Domain-specific Search engine optimization using healthcare ontology and a neural network backpropagation approach”, 2017, Research Journal of Biotechnology, Special Issue 2:157-166

[23] Kavitha, G., Kavitha, R., “An analysis to improve throughput of high-power hubs in mobile ad hoc network”, 2016, Journal of Chemical and Pharmaceutical Sciences, Vol-9, Issue-2: 361-363

[24] Kavitha, G., Kavitha, R., “Dipping interference to supplement throughput in MANET” , 2016, Journal of Chemical and Pharmaceutical Sciences, Vol-9, Issue-2: 357-360

[25] Michael, G., Chandrasekar, A.,”Leader election based malicious detection and response system in MANET using mechanism design approach”, Journal of Chemical and Pharmaceutical Sciences(JCPS) Volume 9 Issue 2, April - June 2016 .

[26] Michael, G., Chandrasekar, A.,”Modeling of detection of camouflaging worm using epidemic dynamic model and power spectral density”, Journal of Chemical and Pharmaceutical Sciences(JCPS) Volume 9 Issue 2, April - June 2016 .

[27] Pothumani, S., Sriram, M., Sridhar, J., Arul Selvan, G., Secure mobile agents communication on intranet,Journal of Chemical and Pharmaceutical Sciences, volume 9, Issue 3, Pg No S32-S35, 2016

[28] Pothumani, S., Sriram, M., Sridhar , Various schemes for database encryption-a survey, Journal of Chemical and Pharmaceutical Sciences, volume 9, Issue 3, Pg NoS103-S106, 2016

[29] Pothumani, S., Sriram, M., Sridhar, A novel economic framework for cloud and grid computing, Journal of Chemical and Pharmaceutical Sciences, volume 9, Issue 3, Pg No S29-S31, 2016

[30] Priya, N., Sridhar, J., Sriram, M. “Ecommerce Transaction Security Challenges and Prevention Methods- New Approach” 2016 ,Journal of Chemical and Pharmaceutical Sciences, JCPS Volume 9 Issue 3.page no:S66-S68 .

[31] Priya, N.,Sridhar,J.,Sriram, M.“Vehicular cloud computing



- security issues and solutions” Journal of Chemical and Pharmaceutical Sciences(JCPS) Volume 9 Issue 2, April - June 2016
- [32] Priya, N., Sridhar, J., Sriram, M. “Mobile large data storage security in cloud computing environment-a new approach” JCPS Volume 9 Issue 2, April - June 2016
- [33] Anuradha.C, Khanna.V, “Improving network performance and security in WSN using decentralized hypothesis testing” Journal of Chemical and Pharmaceutical Sciences(JCPS) Volume 9 Issue 2, April - June 2016 .
- [34] Anuradha.C, Khanna.V, “A novel gsm based control for e-devices” Journal of Chemical and Pharmaceutical Sciences(JCPS) Volume 9 Issue 2, April - June 2016 .
- [35] Anuradha.C, Khanna.V, “Secured privacy preserving sharing and data integration in mobile web environments “ Journal of Chemical and Pharmaceutical Sciences(JCPS) Volume 9 Issue 2, April - June 2016 .
- [36] Sundarraj, B., Kaliyamurthie, K.P. Social network analysis for decisive the ultimate classification from the ensemble to boost accuracy rates2016 International Journal of Pharmacy and Technology 8
- [37] Sundarraj, B., Kaliyamurthie, K.P. A content-based spam filtering approach victimisation artificial neural networks 2016 International Journal of Pharmacy and Technology 8 3.
- [38] Sundarraj, B., Kaliyamurthie, K.P. Remote sensing imaging for satellite image segmentation 2016 International Journal of Pharmacy and Technology 8 3.

AUTHORS PROFILE



Rohan Nayak, Student, Department of Information Technology, Bharath Institute of Higher Education and Research, Chennai, India



S. Dinesh, Student, Department of Information Technology, Bharath Institute of Higher Education and Research, Chennai, India



S. Thirunavukkarasu, Assitant Professor, Department of Information Technology, Bharath Institute of Higher Education and Research, Chennai, India