

# A Novel Technique of Gesture Recognition for Car Infotainment Control



Kuruvilla John, Abimanyu M, Rishi Raj, Aravind M Pillai, Shahana Samad

**Abstract:** This paper details the development of a gesture recognition technique for car infotainment control. Nowadays, in highway due to heavy traffic or twist and turns along the road the drivers cannot afford to take their eyes off the road. One of the prominent human-machine interface (HMI) technology is gesture recognition. Gesture can be used in the automotive industry to provide a secure and luxurious control interface that will limit driver distraction. Human-machine interfaces permit working vehicle gadgets without changing the driver's consideration. A complete framework for controlling the infotainment hardware through hand motions is clarified in this paper.

**Keywords:** Gesture, Infotainment, Radar, Sensors.

## I. INTRODUCTION

With the increasing demand for luxurious, safe, and smart vehicles, automotive manufacturers are going on developing automobiles with combined infotainment systems. Infotainment frameworks give a blend of different sorts of stimulation and data for an incredible involvement in-vehicle experience. The IVI (In-Vehicle Infotainment) can be portrayed as the incorporation of vehicle frameworks which are utilized to convey stimulation and data to the driver and the travelers through video/sound interfaces [1]-[2], control components like touch screen shows, catch board, voice directions, and many more. Future vehicular applications in the mass market like infotainment, driver help frameworks and self-governing driving will make an enormous correspondence request, particularly in urban territories. Drivers and self-sufficient autos will likewise be bolstered by an inexorably savvy roadside framework, for example, roadside remote empowered discovery frameworks to stay away from serious mishaps coming about because of incorrect way driving. First is security.

Revised Manuscript Received on November 30, 2019.

\* Correspondence Author

**Kuruvilla John\***, Assistant Professor, Department of Electronics and Communication Engineering, Providence College of Engineering, Chengannur, Kerala, India. Email: kuruvilla08@gmail.com

**Abhimanyu M.**, B. Tech Student, Department of Electronics and Communication Engineering, Providence College of Engineering, Chengannur, Kerala, India.

**Rishi Raj.** B.Tech Student, Department of Electronics and Communication Engineering, College of Engineering, Chengannur, Kerala, India.

**Aravind M Pillai.** P.G Student in Embedded Systems, Confederation College, Canada.

**Shahana Samad.** Department of Computer and Science Engineering, Government Engineering College, Palakkad, Kerala, India.

© The Authors. Published by Blue Eyes Intelligence Engineering and Sciences Publication (BEIESP). This is an open access article under the CC-BY-NC-ND license <http://creativecommons.org/licenses/by-nc-nd/4.0/>.

Each minute we spend in finding a touch screen or catch group and not focusing out and about is another purpose behind which we are at death hazard to ourselves as well as other people. Thus, carmakers are endeavoring to discover ways that drivers can abstain from tinkering with catches, handles, switches, or symbols on an electronic presentation screen as a vehicle barrels down the interstate at 70 mph. The capacity to wave a hand, as opposed to looking down at the dashboard, is viewed as a characteristic following stage in the war against driver interruption [4].

It is also convenient gesturing or pointing in the air requires less accuracy and concentration from the driver than tapping a couple of buttons on a dashboard. If gestures are just quick ways to frequent actions, you can really see the safety and convenience benefits.

## II. CONVENTIONAL SYSTEM

In the past the infotainment system used in vehicles were stereos. The low power and high-speed applications of digital design play an important role in entertainment systems [9]-[14]. In the conventional system like stereo provide entertainment and information like news and all through FM and AM radio [3], [6]. This was the earliest system of infotainment. In those days, peoples have used cassette for the purpose of playing music other than using radio. Fig.1 and Fig.2 shows the conventional graphical user infotainment system.



Fig.1. conventional graphical user infotainment system



Fig.2. conventional graphical user infotainment system

After that the framework has developed into next level, were rather than tape they began utilizing CD. After that, it proceeded onward to the next level where it began to use with pen drive and aux in port associated with different gadgets. To convey their all-inclusive and differing usefulness portfolio Infotainment Systems are currently, by numerous measures, the most mind-boggling framework in the vehicle. Notwithstanding conveying the conventional practices of an ongoing implanted controller while being exceptionally disseminated and having high I/O types and counts. Infotainment Systems need to help various transport, RF and cell networks, present a few MMI surfaces (numerous client shows, contact screens, sound in and out, switch interfaces, ... ) and process a lot of information [4], [6]. Customary car framework test devices don't enough address the necessities of seat testing such a framework. With the degree and a decent variety of nonconcurrent I/O, it is inconceivable utilizing a manual test methodology to test any critical subset of the utilization instances of an Infotainment System.



**Fig.3. conventional Touch screen infotainment system**

In-Vehicle Infotainment (IVI) systems in today's automobiles provide users with an increasing number of audios, videos, telematics and connectivity related features. Simple concepts like a radio with an embedded compact disk (CD) player have evolved into systems that can include multiple media player interfaces, support mobile devices, connect to audio and video content providers, and provide GPS navigation with route planning and guidance[4]. The client expects the highlights accessible with the vehicle to be an expansion of those given in-home and their own remote gadgets. Moreover, the client anticipates that their IVI framework should bolster vehicle availability for the reasons for individual correspondences, long range informal communication, vehicle diagnostics, prognostics just as wellbeing and security.

## GESTURE RECOGNITION INFOTAINMENT

Modern cars have additional features like rear- view camera, obstacle sensors, parking assistance, lane- change assistance, adaptive cruise control, auto pilot driving and web browser. This makes driving smart, safe and comfortable.

Gesture infotainment is a new technique that is used by many car models. Apart from the voice and touch- screen infotainment models. Gesture control infotainment allows driver to use simple hand gestures to perform various actions and functions with 3d technology.

In early stages gesture infotainment systems have used camera-based sensors (IR, colour, etc.), depth-based sensors, and wearable sensors such as gloves and wristbands embedded with 3D tracking technology enabled for drivers [3]. However, these systems all have drawbacks that affect their usability. Camera based sensors are susceptible to changes in light, color, background, and have high computational costs due to extensive image processing. Depth based sensors are very good at detecting position changing, however they are not able to detect orientation or specific hand shapes. Wearable technology interfere everyday activities of the user, and limits system input to whoever is wearing the input device. As a solution to overcome these drawbacks radar sensors are now used in gesture infotainment [7]-[8]. Radar sensors are utilized on the grounds that it isn't influenced by factor light changing inside a vehicle and can distinguish explicit hand signals. This additionally gives an ongoing visionless infotainment control for the clients. In radar sensors, there is no use of wearable parts. It diminishes the danger of driver interruption and permitting different client input. The in-vehicle signal perceiving framework consolidates a short-run radar and time of flight, profundity sensors, and shading cameras that identify motions. This framework utilizes FMCW mono heartbeat radar related to camera-based information for identification and for close to constant acknowledgment a convolutional neural system is utilized [5]-[6]. For better spatial goals 60GHz radar is ideally utilized, and for real-time recognition, a random forest classifier algorithm is used.

## A. SENSOR PLACEMENT

Explicit natural and client requirements are considered while structuring the framework and to guarantee ease of use and heartiness signal sets are utilized. The inside of a vehicle is spatially intricate which makes numerous difficulties for the sensor to recognize. In the event that the sensor is put excessively near noticeable articles, for example, an apparatus move, it frequently results to be falsely positive or doesn't perceive the signals inside the field. The sensor is set at explicit area where the radar shaft spread is most extreme and recording a powerful foundation for recognition of items and recognizes those articles that encroach into the field. [6]. Taking into contemplations all the spatial compels including the imperatives of the client the sensor is set in the focal reassurance (for use by the front-seat traveler and the driver).

It enhances the driver experiences. With a simple swipe of the fingers you'll be able to instantly operate the display. And hand-tracking will be complemented by voice. We'll use voice for single commands and hand motions for continuous action. For example, Fig. 4 shows accepting a phone call by pointing the screen, and Fig. 5 shows rejecting a call by swiping hand to the right, Fig. 6 shows increase the volume by circling the finger clockwise, Fig. 7 shows changing rear view camera angle by creating a circle with your thumb and fore finger, Fig. 8 shows Turning the volume down by circling your finger counter- clock- wise, Fig. 9 shows selecting navigation by pointing to the screen by two fingers.





**Fig.4. Accept a call: Pointing hand to the screen.**



**Fig.5. Reject a call: Swipe the hand to the right**




**Fig.6. Turn the volume up: Circle your finger clock- wise**



**Fig.7. Change rear- view camera angle:  
Create a circle with your thumb and fore finger.**



**Fig.8. Turn the volume down: Circle your finger counter- clock- wise.**



**Fig.9. Select navigation: Point to the screen with two fingers.**

Automakers including Audi, BMW, Cadillac, and Toyota are all in the process of implementing this kind of gesture technology into their automobiles. Over the next few years, there will be a wave of innovation in this space. One of the most exciting things is how these high-tech systems or future automotive cockpits will be designed.

## III. CONCLUSION

We proposed a latest technology of Infotainment in modern vehicle. In this technology gesture detection system has been used to control the infotainment in vehicle. The motions were intended to be comprehended by the radar that would be natural and noteworthy for the client, and appropriate for the earth. It is completely a user friendly gesture system for the control of infotainment in vehicle which helps the drivers not to take eyes from the road thus the driver could completely concentrate on the driving and major amount of accident could be reduced. Here we introduced a mm-wave radar sensor for the gesture recognition and detection of precise feature of finite motion with the engine that carry out real-time gesture recognition with the help of machine learning.

## REFERENCES

- Pickering C, Burnham K, and Richardson M (2007), "A research study of hand gesture recognition technologies and applications for human vehicle interaction," in *2007 IET 3rd Institution of Engineering and Technology Conference on Automotive Electronics*, Warwick, UK.
- Young K, Regan M (2007), "Driver distraction: a review of the literature," *Distracted Driving*, Sydney, Australia: Australasian College of Road Safety, 2007, pp. 379-405.
- Wachs J P, Kolsch M, Stern H, and Edan Y (2011), "Vision based hand gesture applications," *Communications of the ACM*, vol. 54, no. 2, pp. 60-71
- Breuer P, Eckes C, and Müller S (2007), "Hand gesture recognition with a novel IR time-of-flight range camera—a pilot study", in *MIRAGE 2007*, LNCS 4418, pp. 247– 260
- Keskin C, Kirac F, Kara Y E, and Akarun L (2011), "Real time hand pose estimation using depth sensors", in *IEEE International Conference on Computer Vision Workshops*, pp 1228-1234.
- Molchanov P, Gupta S, Kim K, and Pulli K (2015), "Multi-sensor system for driver's hand-gesture recognition," *IEEE 11th International Conference and Workshops on Automatic Face and Gesture Recognition*, Ljubljana, Slovenia, pp. 1-8
- Riener A, Rossbory M, and Ferscha M (2011), "Natural DVI based on intuitive hand gestures," *INTERACT Workshop User Experience in Cars*, pp. 62-66.
- Molchanov P, Gupta S, Kim K, and Kautz J (2015), "Hand gesture recognition with 3D convolutional networks," *IEEE Conference on Computer Vision and pattern Recognition Workshops*, Boston, MA, USA, pp. 1-7.
- Kuruvilla John, Vinod Kumar R.S., and Kumar S.S., "A Novel Design of Synchronous Counter for Low Power and High-Speed Applications," *International Journal of Engineering and Advanced Technology*, vol. 8, issue. 4, pp. 779-783, 2019.
- Kuruvilla John, Vinod Kumar R.S., and Kumar S.S., "Effect of clock gating in conditional pulse enhancement flip-flop for low power applications," *International Journal of Electrical Engineering and Informatics*, vol. 7, no. 2, pp. 357-365, 2019.
- Kuruvilla John, Vinod Kumar R.S., and Kumar S.S., "Design of conditional pulse enhancement flip-flop embedded with clock gating and signal feed-through mechanism," *Journal of Engineering Science and Technology*, vol. 14, no. 4, pp. 2000-2012, 2019.
- Kuruvilla John, Vinod Kumar R.S., and Kumar S.S., "Impact of Pulse-Triggered Flip-Flops in Low Power Applications," *Journal of Advance Research in Dynamical and Control Systems*, vol. 10, issue. 1, pp. 298-306, 2018.
- Kuruvilla John, Vinod Kumar R.S., and Kumar S.S., "Design of low power and high speed implicit pulse flip-flop and its application," *International Journal of Engineering and Technology*, vol. 7, no. 3, pp. 1893-1898, 2018.
- Kuruvilla John, Vinod Kumar R.S., and Kumar S.S., "Performance Comparison of Explicit Pulsed Flip-Flops in Low Power and High-Speed Application," in *Proceedings of International Conference on Circuits and Systems in Digital Enterprise Technology (ICCSDET)*, Kottayam, Kerala, India, Dec. 2018.

## AUTHORS PROFILE



**Mr. Kuruvilla John** received his B.Tech and M.Tech degrees in Electronics and Communication Engineering from the Mahatma Gandhi University, Kerala, India, in 2010 and 2014 respectively. He is an Assistant Professor of the Department of Electronics and Communication Engineering, Providence College of Engineering, APJ Abdul Kalam Technological University, Kerala, India. He is currently doing his research in Low Power VLSI from Noorul Islam Centre for Higher Education, Tamilnadu, India. He has more than 6 years of teaching experience, and many publications in journals and conferences. His research interest includes Low Power VLSI, VLSI Signal Processing, Digital Design Principles and Communication Engineering.



**Abhimanyu M** completed his diploma of engineering in Electronics and communication engineering under state board of technical education from government polytechnic college, Kottayam, Kerala, India in 2016. He acted as Coordinator in a national robotic competition held in Providence college of engineering as a part of Rasam 2018. He got Second Prize in national level essay competition conducted by AICTE in 2018. He currently pursuing Bachelor in Engineering Degree Electronics and communication Engineering under A P J Abdul kalam Technological university in Providence college of Engineering, Chengannur, Kerala, India. His research interest includes Internet of Things (IOT). Embedded system, Microcontrollers, Optical fiber and Analog communication. He had done projects on biometric attendance system and obstacle finding robot.



**Aravind M Pillai** completed his Btch (Hons) in the Department of Electrical and electronics engineering and in Sree Budha college of engineering, Patoor, Kerala, India under Kerala University in 2017. He is an active participant in forum like IEEE. He acted as a coordinator in conducting a workshop on Electrical vehicles as a part of technical fest Prayaga 2017. He is currently pursuing post-graduation in Embedded system in Confederation college, Ontario, Canada. His research interest includes Embedded system, Internet of Things and Artificial intelligence. He had done project on harvesting electric current from magnetic field



**Rishi Raj** is pursuing his Bachelor Degree in Electronics and Communication Engineering in College of Engineering Chengannur under the university A P J Abdul Kalam Technological University. He is an active participant in forum like IEEE. He revived an inactive society in his college named as ExESS. He is very eager to learn IOT and Embedded system. He acted as Coordinator in a national event named as Robothon 5.0. He was Coordinator of college level event ISQIP'18 and ISQIP'19. He had won different kind of technical events like Robowar, Roborace etc. He had done project named Bluetooth Controlled Home Automation System.



**Shahana Samad** completed her Diploma of engineering in computer and science engineering under state board of technical education in government womens polytechnic college kayamkulam, kerala, India in 2017. She acted as a coordinator in conducting a workshop on Introduction to block chain as a part of technical fest INVENTO 2019. She is currently pursuing Btch (Hons) in the Department of Computer Science and engineering in Government engineering college, Palakkad, Kerala, India under A P J Abdul Kalam Technological University. Her research interest includes Internet of Things (IOT), Embedded systems and machine learning. She had done projects on online library mangement system and online ATM card issue.